

# General Index

- A**ccelerated convergence of series 160ff.  
Accuracy 19f.  
    achievable in minimization 392, 397, 404  
    achievable in root finding 346f.  
    contrasted with fidelity 832, 840  
    CPU different from memory 181  
    vs. stability 704, 729, 830, 844  
Acknowledgments xi  
Adams-Bashford-Moulton method 741  
Adams' stopping criterion 366  
Adaptive integration 123, 135, 703, 708ff.,  
    720, 726, 731f., 737, 742f., 743, 788  
Adaptive Monte Carlo integration 306ff.,  
    309ff.  
Addition, multiple precision 907  
Addition theorem, elliptic integrals 255  
ADI (alternating direction implicit) method  
    847, 861f., 906  
Adjoint operator 867  
Adobe Illustrator xi, xvii  
Advective equation 826  
AGM (arithmetic geometric mean) 906  
Airy function 204, 234, 243f.  
    routine for 244f.  
Aitken's delta squared process 160  
Aitken's interpolation algorithm 102  
Algorithms, non-numerical 881ff.  
Aliasing 495, 569  
    *see also* Fourier transform  
All-poles model 566  
    *see also* Maximum entropy method (MEM)  
All-zeros model 566  
    *see also* Periodogram  
Alternating-direction implicit method (ADI)  
    847, 861f., 906  
Alternating series 160f.  
Alternative extended Simpson's rule 128  
Amoeba 403  
    *see also* Simplex, method of Nelder and  
    Mead  
Amplification factor 828, 830, 832, 840, 845f.  
Amplitude error 831  
Analog-to-digital converter 812, 886  
Analyticity 195  
Analyze/factorize/operate package 64, 824  
Anderson-Darling statistic 621  
Andrew's sine 697  
Annealing, method of simulated 387f., 436ff.  
    assessment 447  
    for continuous variables 437, 443ff.  
    schedule 438  
    thermodynamic analogy 437  
    traveling salesman problem 438ff.  
Antonov-Saleev variant of Sobol' sequence  
    300  
Apple xvii  
    Macintosh 4, 886  
Approximate inverse of matrix 49  
Approximation of functions 99  
    by Chebyshev polynomials 185f., 513  
    Padé approximant 194ff.  
    by rational functions 197ff.  
    by wavelets 594f., 782  
    *see also* Fitting  
Arithmetic  
    arbitrary precision 881, 906ff.  
    floating point 881  
    IEEE standard 276, 882  
    rounding 882  
Arithmetic coding 881, 902ff.  
Arithmetic-geometric mean (AGM) method  
    906  
Array  
    centered subarray of 113  
Artificial viscosity 831, 837  
Ascending transformation, elliptic integrals  
    256  
ASCII character set 6, 888, 896, 902  
Assembly language 269  
Associated Legendre polynomials 246ff., 764  
    recurrence relation for 247  
    relation to Legendre polynomials 246  
Association, measures of 604, 622ff.  
Asymptotic series 161  
    exponential integral 218  
Attenuation factors 583  
Autocorrelation  
    in linear prediction 558  
    use of FFT 538f.  
    Wiener-Khinchin theorem 492, 566f.  
AUTODIN-II polynomial 890  
Autonomous differential equations 729f.  
Autoregressive model (AR) *see* Maximum en-  
    tropy method (MEM)  
Average deviation of distribution 605  
Averaging kernel, in Backus-Gilbert method  
    807
- B**acksubstitution 33ff., 39, 42, 92  
    in band diagonal matrix 46  
    in Cholesky decomposition 90  
    complex equations 41

- direct for computing  $\mathbf{A}^{-1} \cdot \mathbf{B}$  40  
 relaxation solution of boundary value problems 755  
 in singular value decomposition 56  
 Backtracking 419  
   in quasi-Newton methods 376f.  
 Backus-Gilbert method 806ff.  
 Backward deflation 363  
 Bader-Deufhard method 730, 735  
 Bairstow's method 364, 370  
 Balancing 476f.  
 Band diagonal matrix 42, 43ff.  
   backsubstitution 46  
   LU decomposition 45  
   multiply by vector 44  
   storage 44  
 Band-pass filter 551, 554f.  
   wavelets 584, 592f.  
 Bandwidth limited function 495  
 Bank accounts, checksum for 894  
 Bar codes, checksum for 894  
 Bartlett window 547  
 Base of representation 19, 882  
 BASIC, Numerical Recipes in iv, 1  
 Basis functions in general linear least squares 665  
 Bayes' Theorem 810  
 Bayesian  
   approach to inverse problems 799, 810f., 816f.  
   contrasted with frequentist 810  
   vs. historic maximum entropy method 816f.  
   views on straight line fitting 664  
 Bays' shuffle 270  
 Bernoulli number 132  
 Bessel functions 223ff., 234ff.  
   asymptotic form 223f., 229f.  
   complex 204  
   continued fraction 234, 239  
   double precision 223  
   fractional order 223, 234ff.  
   Miller's algorithm 175, 228  
   modified 229ff.  
   modified, fractional order 239ff.  
   modified, normalization formula 232, 240  
   modified, routines for 230ff.  
   normalization formula 175  
   recurrence relation 172, 224, 232, 234  
   reflection formulas 236  
   reflection formulas, modified functions 241  
   routines for 225ff., 236ff.  
   routines for modified functions 241ff.  
   series for 160, 223  
   series for  $K_\nu$  241  
   series for  $Y_\nu$  235  
   spherical 234, 245  
   turning point 234  
   Wronskian 234, 239  
 Best-fit parameters 650, 656, 660, 698  
   *see also* Fitting  
 Beta function 206ff.  
   incomplete *see* Incomplete beta function  
 BFGS algorithm *see* Broyden-Fletcher-Goldfarb-Shanno algorithm  
 Bias, of exponent 19  
 Bias, removal in linear prediction 563  
 Biconjugacy 77  
 Biconjugate gradient method  
   elliptic partial differential equations 824  
   preconditioning 78f., 824  
   for sparse system 77, 599  
 Bicubic interpolation 118f.  
 Bicubic spline 120f.  
 Big-endian 293  
 Bilinear interpolation 117  
 Binomial coefficients 206ff.  
   recurrences for 209  
 Binomial probability function 208  
   cumulative 222f.  
   deviates from 281, 285f.  
 Binormal distribution 631, 690  
 Biorthogonality 77  
 Bisection 111, 359  
   compared to minimum bracketing 390f., 392f.  
   minimum finding with derivatives 399  
   root finding 343, 346f., 352f., 390, 469  
 BISYNCH 890  
 Bit 18  
   manipulation functions 17  
   reversal in fast Fourier transform (FFT) 499f., 525  
 Bitwise logical functions 287, 890f.  
 Block-by-block method 788  
 Block of statements 7  
 Bode's rule 126  
 Boltzmann probability distribution 437  
 Boltzmann's constant 437  
 Bootstrap method 686f.  
 Bordering method for Toeplitz matrix 85f.  
 Borwein and Borwein method for pi 906  
 Boundary 155f., 425f., 745  
 Boundary conditions  
   for differential equations 701f.  
   initial value problems 702  
   in multigrid method 868f.  
   partial differential equations 508, 819ff., 848ff.  
   for spheroidal harmonics 764  
   two-point boundary value problems 702, 745ff.  
 Boundary value problems *see* Differential equations; Elliptic partial differential equations; Two-point boundary value problems  
 Box-Muller algorithm for normal deviate 279f.  
 Bracketing  
   of function minimum 343, 390ff., 393f., 402  
   of roots 341, 343ff., 353f., 362, 364, 369, 390  
 Branch cut, for hypergeometric function 203  
 Branching 9  
 Break iteration 14  
 Brenner, N.M. 500, 517  
 Brent's method  
   minimization 389, 395ff., 660f.

- minimization, using derivative 389, 399
  - root finding 341, 349, 660f.
- Broyden-Fletcher-Goldfarb-Shanno algorithm 390, 418ff.
- Broyden's method 373, 382f., 386
  - singular Jacobian 386
- Bubble sort 321
- Bugs 4
  - in compilers xi
  - how to report iv, xviii
- Bulirsch-Stoer
  - algorithm for rational function interpolation 105f.
  - method (differential equations) 202, 263, 702f., 706, 716, 718ff., 726, 740
  - method (differential equations), stepsize control 719, 726
  - for second order equations 726
- Burg's LP algorithm 561
- Byte 18
  
- C**++ 7f.
- C (programming language) 13
  - Numerical Recipes in iv, 1
- Calendar algorithms 1f., 13ff.
- Calibration 653
- Capital letters in programs 3
- Cards, sorting a hand of 321
- Carlson's elliptic integrals 255f.
- Cash-Karp parameters 710
- Cauchy probability distribution *see* Lorentzian probability distribution
- Cauchy problem for partial differential equations 818f.
- Cayley's representation of  $\exp(-iHt)$  844
- CCITT (Comité Consultatif International Télégraphique et Téléphonique) 889f., 901
- CCITT polynomial 889f.
- Center of mass 295ff.
- Central limit theorem 652f.
- Central tendency, measures of 604ff.
- Change of variable
  - in integration 137ff., 788
  - in Monte Carlo integration 298
  - in probability distribution 279
- Characteristic polynomial
  - digital filter 554
  - eigensystems 449, 469
  - linear prediction 559
  - matrix with a specified 368
  - of recurrence relation 175
- Characteristics of partial differential equations 818
- Chebyshev acceleration in successive over-relaxation (SOR) 859f.
- Chebyshev approximation 84, 124, 183, 184ff.
  - Clenshaw-Curtis quadrature 190
  - Clenshaw's recurrence formula 187
  - coefficients for 185f.
  - contrasted with Padé approximation 195
  - derivative of approximated function 183, 189
  - economization of series 192f., 195
  - for error function 214
  - even function 188
  - and fast cosine transform 513
  - gamma functions 236
  - integral of approximated function 189
  - odd function 188
  - polynomial fits derived from 191
  - rational function 197ff.
  - Remes exchange algorithm for filter 553
- Chebyshev polynomials 184ff.
  - continuous orthonormality 184
  - discrete orthonormality 185
  - explicit formulas for 184
  - formula for  $x^k$  in terms of 193
- Check digit 894
- Checksum 881, 888
  - cyclic redundancy (CRC) 888ff.
- Cherry, sundae without a 809
- Chi-by-eye 651
- Chi-square fitting *see* Fitting; Least squares fitting
- Chi-square probability function 209ff., 215, 615, 654, 798
  - as boundary of confidence region 688f.
  - related to incomplete gamma function 215
- Chi-square test 614f.
  - for binned data 614f.
  - chi-by-eye 651
  - and confidence limit estimation 688f.
  - for contingency table 623ff.
  - degrees of freedom 615f.
  - for inverse problems 797
  - least squares fitting 653ff.
  - nonlinear models 675ff.
  - rule of thumb 655
  - for straight line fitting 655ff.
  - for straight line fitting, errors in both coordinates 660
  - for two binned data sets 616
  - unequal size samples 617
- Chip rate 290
- Chirp signal 556
- Cholesky decomposition 89f., 423, 455
  - backsubstitution 90
  - operation count 90
  - pivoting 90
  - solution of normal equations 668
- Circulant 585
- Class, data type 7
- Clenshaw-Curtis quadrature 124, 190, 512, 513
- Clenshaw's recurrence formula 176f., 191
  - for Chebyshev polynomials 187
  - stability 176f.
- Clocking errors 891
- cn function 261
- Coarse-to-fine operator 864
- Coarse-grid correction 864f.
- Coding
  - arithmetic 902ff.
  - checksums 888
  - decoding a Huffman-encoded message 900
  - Huffman 896f.
  - run-length 901

- variable length code 896
- Ziv-Lempel 896
- see also* Arithmetic coding; Huffman coding
- Coefficients
  - binomial 208
  - for Gaussian quadrature 140ff.
  - for Gaussian quadrature, nonclassical weight function 151ff., 788f.
  - for quadrature formulas 125ff., 789
- Column degeneracy 22
- Column operations on matrix 29, 31f.
- Column totals 624
- Combinatorial minimization *see* Annealing
- Comité Consultatif International Télégraphique et Téléphonique (CCITT) 889f., 901
- Communication theory, use in adaptive integration 721
- Communications protocol 888
- Comparison function for rejection method 281
- Complementary error function
  - see* Error function
- Complete elliptic integral *see* Elliptic integrals
- Complex arithmetic 171f.
  - avoidance of in path integration 203
  - cubic equations 179f.
  - for linear equations 41
  - quadratic equations 178
- Complex error function 252
- Complex plane
  - fractal structure for Newton's rule 360f.
  - path integration for function evaluation 201ff., 263
  - poles in 105, 160, 202f., 206, 554, 566, 718f.
- Complex systems of linear equations 41f.
- Compression of data 596f.
- Concordant pair for Kendall's tau 637
- Condition number 53, 78
- Confidence level 687, 691ff.
- Confidence limits
  - bootstrap method 687f.
  - and chi-square 688f.
  - confidence region, confidence interval 687
  - on estimated model parameters 684ff.
  - by Monte Carlo simulation 684ff.
  - from singular value decomposition (SVD) 693f.
- Confluent hypergeometric function 204, 239
- Conjugate directions 408f., 414ff.
- Conjugate gradient method
  - biconjugate 77
  - compared to variable metric method 418
  - elliptic partial differential equations 824
  - for minimization 390, 413ff., 804, 815
  - minimum residual method 78
  - preconditioner 78f.
  - for sparse system 77ff., 599
  - and wavelets 599
- Conservative differential equations 726
- Constrained linear inversion method 799ff.
- Constrained linear optimization *see* Linear programming
- Constrained optimization 387
- Constraints, deterministic 804ff.
- Constraints, linear 423
- Contingency coefficient C 625
- Contingency table 622ff., 638
  - statistics based on chi-square 623ff.
  - statistics based on entropy 626ff.
- Continued fraction 163ff.
  - Bessel functions 234
  - convergence criterion 165
  - equivalence transformation 166
  - evaluation 163ff.
  - evaluation along with normalization condition 240
  - even and odd parts 166, 211, 216
  - even part 249, 251
  - exponential integral 216
  - Fresnel integral 248f.
  - incomplete beta function 219f.
  - incomplete gamma function 211
  - Lentz's method 165, 212
  - modified Lentz's method 165
  - Pincherle's theorem 175
  - ratio of Bessel functions 239
  - rational function approximation 164, 211, 219f.
  - recurrence for evaluating 164f.
  - and recurrence relation 175
  - sine and cosine integrals 250f.
  - Steed's method 164f.
  - tangent function 164
  - typography for 163
- Continuous variable (statistics) 623
- Control structures 7, 8ff.
  - bad 15
- Convergence
  - accelerated, for series 160ff.
  - of algorithm for pi 906
  - criteria for 347, 392, 404, 483, 488, 679, 759
  - eigenvalues accelerated by shifting 470f.
  - golden ratio 349, 399
  - of golden section search 392f.
  - of Levenberg-Marquardt method 679
  - linear 346, 393
  - of QL method 470f.
  - quadratic 49, 351, 356, 409f., 419, 906
  - rate 346f., 353, 356
  - recurrence relation 175
  - of Ridders' method 351
  - series vs. continued fraction 163f.
  - and spectral radius 856ff., 862
- Convex sets, use in inverse problems 804
- Convolution
  - denoted by asterisk 492
  - finite impulse response (FIR) 531
  - of functions 492, 503f.
  - of large data sets 536f.
  - for multiple precision arithmetic 909
  - multiplication as 909
  - necessity for optimal filtering 535
  - overlap-add method 537
  - overlap-save method 536f.
  - and polynomial interpolation 113
  - relation to wavelet transform 585
  - theorem 492, 531ff., 544

- theorem, discrete 531ff.  
 treatment of end effects 533  
 use of FFT 523, 531ff.  
 wraparound problem 533  
 Cooley-Tukey FFT algorithm 503  
 Co-processor, floating point 886  
 Copyright rules xvi  
 Cornwell-Evans algorithm 816  
 Corporate promotion ladder 328  
 Corrected two-pass algorithm 607  
 Correction, in multigrid method 863  
 Correlation coefficient (linear) 630ff.  
 Correlation function 492  
   autocorrelation 492, 539, 558  
   and Fourier transforms 492  
   theorem 492, 538  
   treatment of end effects 538f.  
   using FFT 538f.  
   Wiener-Khinchin theorem 492, 566f.  
 Correlation, statistical 603f., 622  
   Kendall's tau 634, 637ff.  
   linear correlation coefficient 630ff., 658  
   linear related to least square fitting 630, 658  
   nonparametric or rank statistical 633ff.  
   among parameters in a fit 657, 667, 670  
   in random number generators 268  
   Spearman rank-order coefficient 634f.  
   sum squared difference of ranks 634  
 Cosine function, recurrence 172  
 Cosine integral 248, 250ff.  
   continued fraction 250  
   routine for 251f.  
   series 250  
 Cosine transform *see* Fast Fourier transform (FFT); Fourier transform  
 Coulomb wave function 204, 234  
 Courant condition 829, 832, 833f., 836  
   multidimensional 846  
 Courant-Friedrichs-Lewy stability criterion *see* Courant condition  
 Covariance  
   a priori 700  
   in general linear least squares 667, 671  
   matrix, by Cholesky decomposition 91, 667  
   matrix, of errors 796, 808  
   matrix, is inverse of Hessian matrix 679  
   matrix, when it is meaningful 690ff.  
   in nonlinear models 679, 681  
   relation to chi-square 690ff.  
   from singular value decomposition (SVD) 693f.  
   in straight line fitting 657  
 CR method *see* Cyclic reduction (CR)  
 Cramer's V 625  
 Crank-Nicholson method 840, 844, 846  
 CRC (cyclic redundancy check) 888ff.  
 CRC-12 890  
 CRC-16 polynomial 890  
 CRC-CCITT 890  
 Creativity, essay on 9  
 Critical (Nyquist) sampling 494, 543  
 Cross (denotes matrix outer product) 66  
 Crosstabulation analysis 623  
   *see also* Contingency table  
 Crout's algorithm 36ff., 45  
 Cubic equations 178ff., 360  
 Cubic spline interpolation 107ff.  
   *see also* Spline  
 Cumulative binomial distribution 222f.  
 Cumulative Poisson function 214  
   related to incomplete gamma function 214  
 Curvature matrix *see* Hessian matrix  
 Cycle, in multigrid method 865  
 Cyclic Jacobi method 459  
 Cyclic reduction (CR) 848f., 852ff.  
 Cyclic redundancy check (CRC) 888ff.  
 Cyclic tridiagonal systems 67  
  
**D**  
 Danielson-Lanczos lemma 498f., 525  
 Data  
   assigning keys to 889  
   continuous vs. binned 614  
   entropy 626ff., 896  
   essay on 603  
   fitting 650ff.  
   fraudulent 655  
   glitches in 653  
   iid (independent and identically distributed) 686  
   modeling 650ff.  
   serial port 892  
   smoothing 604, 644ff.  
   statistical tests 603ff.  
   unevenly or irregularly sampled 569, 574, 648f.  
   use of CRCs in manipulating 889  
   windowing 545ff.  
   *see also* Statistical tests  
 Data compression 596f., 881  
   arithmetic coding 902ff.  
   cosine transform 513  
   Huffman coding 896f., 902  
   linear predictive coding (LPC) 563ff.  
   lossless 896  
 Data Encryption Standard (DES) 290ff.  
 Data type 18  
 DAUB4 584ff., 586, 588, 590f., 594  
 DAUB6 586  
 DAUB12 598  
 DAUB20 590f.  
 Daubechies wavelet coefficients 584ff., 588, 590f., 594, 598  
 Davidon-Fletcher-Powell algorithm 390, 418ff.  
 Dawson's integral 252ff., 600  
   approximation for 252f.  
   routine for 253f.  
 D.C. (direct current) 492  
 Debugging 8  
 DEC (Digital Equipment Corp.) xvii, 886  
   VAX 4  
 Decomposition *see* Cholesky decomposition; LU decomposition; QR decomposition; Singular value decomposition (SVD)  
 Deconvolution 535, 540  
   *see also* Convolution; Fast Fourier transform (FFT); Fourier transform

- Defect, in multigrid method 863
- Deferred approach to the limit *see* Richardson's deferred approach to the limit
- Deflation  
 of matrix 471  
 of polynomials 362ff., 370f., 371
- Degeneracy of linear algebraic equations 22, 53, 57, 670
- Degenerate kernel 785
- Degenerate minimization principle 795
- Degrees of freedom 615f., 654, 691
- Dekker, T.J. 353
- Demonstration programs 3
- Derivatives  
 computation via Chebyshev approximation 183, 189  
 computation via Savitzky-Golay filters 183, 645  
 matrix of first partial *see* Jacobian determinant  
 matrix of second partial *see* Hessian matrix  
 numerical computation 180ff., 379, 645, 732, 750, 771  
 of polynomial 167  
 use in optimization 388f., 399
- DES *see* Data Encryption Standard
- Descending transformation, elliptic integrals 256
- Descent direction 376, 382, 419
- Descriptive statistics 603ff.  
*see also* Statistical tests
- Design matrix 645, 665, 795, 801
- Determinant 25, 41
- Deviate, random *see* Random deviates
- DFP algorithm *see* Davidon-Fletcher-Powell algorithm
- Diagonal dominance 43, 679, 780, 856
- Difference equations, finite *see* Finite difference equations (FDEs)
- Difference operator 161
- Differential equations 701ff.  
 accuracy vs. stability 704, 729  
 Adams-Bashforth-Moulton schemes 741  
 adaptive stepsize control 703, 708ff., 719, 726, 731, 737, 742f., 743  
 algebraically difficult sets 763  
 backward Euler's method 729  
 Bader-Deuffhard method for stiff 730, 735  
 boundary conditions 701f., 745ff., 749, 751f., 771  
 Bulirsch-Stoer method 202, 263, 702, 706, 716, 718ff., 740  
 Bulirsch-Stoer method for conservative equations 726  
 comparison of methods 702f., 739, 740, 743  
 conservative 726  
 danger of too small stepsize 714  
 eigenvalue problem 748, 764ff., 770f., 772  
 embedded Runge-Kutta method 709f., 731  
 equivalence of multistep and multivalued methods 743  
 Euler's method 702, 704, 728f.  
 forward Euler's method 728  
 free boundary problem 748, 776  
 high-order implicit methods 730ff.  
 implicit differencing 729, 740  
 initial value problems 702  
 internal boundary conditions 775ff.  
 internal singular points 775ff.  
 interpolation on right-hand sides 111  
 Kaps-Rentrop method for stiff 730  
 local extrapolation 709  
 modified midpoint method 716ff., 719  
 multistep methods 740ff.  
 multivalued methods 740  
 order of method 704f., 719  
 path integration for function evaluation 201ff., 263  
 predictor-corrector methods 702, 730, 740ff.  
 reduction to first-order sets 701, 745  
 relaxation method 746f., 753ff.  
 relaxation method, example of 764ff.  
 r.h.s. independent of  $x$  729f.  
 Rosenbrock methods for stiff 730  
 Runge-Kutta method 702, 704ff., 708ff., 731, 740  
 Runge-Kutta method, high-order 705  
 Runge-Kutta-Fehlberg method 709ff.  
 scaling stepsize to required accuracy 709  
 second order 726  
 semi-implicit differencing 730  
 semi-implicit Euler method 730, 735f.  
 semi-implicit extrapolation method 730, 735f.  
 semi-implicit midpoint rule 735f.  
 shooting method 746, 749ff.  
 shooting method, example 770f., 772  
 similarity to Volterra integral equations 786  
 singular points 718f., 751, 775ff.  
 step doubling 708f.  
 stepsize control 703, 708ff., 719, 726, 731, 737, 742f., 743  
 stiff 703, 727f.  
 stiff methods compared 739  
 Stoermer's rule 726  
*see also* Partial differential equations; Two-point boundary value problems
- Diffusion equation 818, 838ff., 855  
 Crank-Nicholson method 840, 844, 846  
 Forward Time Centered Space (FTCS) 839ff., 841f., 855  
 implicit differencing 840  
 multidimensional 846
- Digamma function 216
- Digital filtering *see* Filter
- Dihedral group  $D_5$  894
- Dimensions (units) 678
- Diminishing increment sort 322
- Dirac delta function 284, 780
- Direct method *see* Periodogram
- Direct methods for linear algebraic equations 26
- Direct product *see* Outer product of matrices
- Direction of largest decrease 410f.
- Direction numbers, Sobol's sequence 300

- Direction-set methods for minimization 389, 406f.
- Dirichlet boundary conditions 820, 840, 850, 856, 858
- Disclaimer of warranty xvi
- Discordant pair for Kendall's tau 637
- Discrete convolution theorem 531ff.
- Discrete Fourier transform (DFT) 495ff.  
as approximate continuous transform 497  
*see also* Fast Fourier transform (FFT)
- Discrete optimization 436ff.
- Discriminant 178, 457
- Diskettes  
are ANSI standard 3  
how to order iv, xvi
- Dispersion 831
- DISPO *see* Savitzky-Golay filters
- Dissipation, numerical 830
- Divergent series 161
- Division  
complex 171  
multiple precision 910f.  
of polynomials 169, 362, 370
- dn function 261
- Do-until iteration 14
- Do-while iteration 13
- Dogleg step methods 386
- Domain of integration 155f.
- Dominant solution of recurrence relation 174
- Dot (denotes matrix multiplication) 23
- Double exponential error distribution 696
- Double precision  
as refuge of scoundrels 882  
use in iterative improvement 47
- Double root 341
- Downhill simplex method *see* Simplex, method of Nelder and Mead
- Driver programs 3
- Dual viewpoint, in multigrid method 875
- Duplication theorem, elliptic integrals 256
- DWT (discrete wavelet transform) *see* Wavelet transform
- Dynamical allocation of storage 869
- E**ardley, D.M. 338
- EBCDIC 890
- Economization of power series 192f., 195
- Eigensystems 449ff.  
balancing matrix 476f.  
bounds on eigenvalues 50  
calculation of few eigenvalues 454, 488  
canned routines 454f.  
characteristic polynomial 449, 469  
completeness 450  
defective 450, 476, 489  
deflation 471  
degenerate eigenvalues 449f., 451  
elimination method 453, 478  
factorization method 453  
fast Givens reduction 463  
generalized eigenproblem 455  
Givens reduction 462f.  
Hermitian matrix 475  
Hessenberg matrix 453, 470, 476ff., 488
- Householder transformation 453, 462ff., 469, 473, 475, 478
- ill-conditioned eigenvalues 477
- implicit shifts 472ff.  
and integral equations 779, 785  
invariance under similarity transform 452  
inverse iteration 455, 469, 476, 487ff.  
Jacobi transformation 453, 456ff., 462, 475, 489  
left eigenvalues 451  
list of tasks 454f.  
multiple eigenvalues 489  
nonlinear 455  
nonsymmetric matrix 476ff.  
operation count of balancing 476  
operation count of Givens reduction 463  
operation count of Householder reduction 467  
operation count of inverse iteration 488  
operation count of Jacobi method 460  
operation count of QL method 470, 473  
operation count of QR method for Hessenberg matrices 484  
operation count of reduction to Hessenberg form 479  
orthogonality 450  
polynomial roots and 368  
QL method 469ff., 475, 488f.  
QL method with implicit shifts 472ff.  
QR method 52, 453, 456, 469ff.  
QR method for Hessenberg matrices 480ff.  
real, symmetric matrix 150, 467, 785  
reduction to Hessenberg form 478f.  
right eigenvalues 451  
shifting eigenvalues 449, 470f., 480  
special matrices 454  
termination criterion 484, 488  
tridiagonal matrix 453, 469ff., 488
- Eigenvalue and eigenvector, defined 449
- Eigenvalue problem for differential equations 748, 764ff., 770f., 772
- Eigenvalues and polynomial root finding 368
- EISPACK 454, 475
- Electromagnetic potential 519
- Elimination *see* Gaussian elimination
- Ellipse in confidence limit estimation 688
- Elliptic integrals 254ff., 906  
addition theorem 255  
Carlson's forms and algorithms 255f.  
Cauchy principal value 256f.  
duplication theorem 256  
Legendre 254ff., 260f.  
routines for 257ff.  
symmetric form 255  
Weierstrass 255
- Elliptic partial differential equations 818  
alternating-direction implicit method (ADI) 861f., 906  
analyze/factorize/operate package 824  
biconjugate gradient method 824  
boundary conditions 820  
comparison of rapid methods 854  
conjugate gradient method 824  
cyclic reduction 848f., 852ff.

- Fourier analysis and cyclic reduction (FACR) 848ff., 854  
 Gauss-Seidel method 855, 864, 865f., 876  
 incomplete Cholesky conjugate gradient method (ICCG) 824  
 Jacobi's method 855f., 864  
 matrix methods 824  
 multigrid method 824, 862ff.  
 rapid (Fourier) method 824, 848ff.  
 relaxation method 823, 854ff.  
 strongly implicit procedure 824  
 successive over-relaxation (SOR) 857ff., 862, 866  
 Emacs, GNU xi  
 Embedded Runge-Kutta method 709f., 731  
 Encapsulation, in programs 7  
 Encryption 290  
 ENDDO 12, 17  
 Entropy 896  
   of data 626ff., 811  
 EOM (end of message) 902  
 Equality constraints 423  
 Equations  
   cubic 178ff., 360  
   normal (fitting) 645, 666ff., 800  
   quadratic 20, 178  
   *see also* Differential equations; Partial differential equations; Root finding  
 Equivalence classes 337f.  
 Equivalence transformation 166  
 Error  
   checksums for preventing 891  
   clocking 891  
   double exponential distribution 696  
   local truncation 875  
   Lorentzian distribution 696f.  
   in multigrid method 863  
   nonnormal 653, 690, 694ff.  
   relative truncation 875  
   roundoff 180f., 881  
   series, advantage of an even 132f., 717  
   systematic vs. statistical 653  
   truncation 20f., 180, 399, 709, 881  
   varieties found by check digits 895  
   varieties of, in PDEs 831ff.  
   *see also* Roundoff error  
 Error function 213f., 601  
   approximation via sampling theorem 601  
   Chebyshev approximation 214  
   complex 252  
   for Fisher's z-transformation 632  
   relation to Dawson's integral 252  
   relation to Fresnel integrals 248  
   relation to incomplete gamma function 213  
   routine for 214  
   for significance of correlation 631  
   for sum squared difference of ranks 635  
 Error handling in programs 3  
 Estimation of parameters *see* Fitting; Maximum likelihood estimate  
 Estimation of power spectrum 542ff., 565ff.  
 Euler equation (fluid flow) 831  
 Euler-Maclaurin summation formula 132, 135  
 Euler's constant 216ff., 250  
 Euler's method for differential equations 702, 704, 728f.  
 Euler's transformation 160f.  
   generalized form 162f.  
 Evaluation of functions *see* Function  
 Even and odd parts, of continued fraction 166, 211, 216  
 Even parity 888  
 Exception handling in programs 3  
 Explicit differencing 827  
 Exponent in floating point format 19, 882  
 Exponential deviate 278  
 Exponential integral 215ff.  
   asymptotic expansion 218  
   continued fraction 216  
   recurrence relation 172  
   related to incomplete gamma function 215  
   relation to cosine integral 250  
   routine for  $E_n(x)$  217  
   routine for  $Ei(x)$  218  
   series 216  
 Exponential probability distribution 570  
 Extended midpoint rule 124f., 129f., 135  
 Extended Simpson's rule 128, 788, 790  
 Extended Simpson's three-eighths rule 789  
 Extended trapezoidal rule 125f., 127, 130ff., 135, 786  
   roundoff error 132  
 Extrapolation (so-called) 574  
 Extrapolation 99ff.  
   in Bulirsch-Stoer method 718ff., 726  
   differential equations 702  
   by linear prediction 557ff.  
   local 709  
   maximum entropy method as type of 567  
   polynomial 724, 726, 740  
   rational function 718ff., 726  
   relation to interpolation 101  
   for Romberg integration 134  
   *see also* Interpolation  
 Extremization *see* Minimization  
**F**-distribution probability function 222  
 F-test for differences of variances 611, 613  
 FACR *see* Fourier analysis and cyclic reduction (FACR)  
 Facsimile standard 901  
 Factorial  
   double (denoted "!!") 247  
   evaluation of 159  
   relation to gamma function 206  
   routine for 207f.  
 False position 347ff.  
 Family tree 338  
 FAS (full approximation storage algorithm) 874  
 Fast Fourier transform (FFT) 498ff., 881  
   alternative algorithms 503f.  
   as approximation to continuous transform 497  
   Bartlett window 547  
   bit reversal 499f., 525  
   and Clenshaw-Curtis quadrature 190  
   convolution 503f., 523, 531ff., 909  
   convolution of large data sets 536f.



- Cooley-Tukey algorithm 503  
 correlation 538f.  
 cosine transform 190, 511ff., 851  
 cosine transform, second form 513, 852  
 Danielson-Lanczos lemma 498f., 525  
 data sets not a power of 2 503  
 data smoothing 645  
 data windowing 545ff.  
 decimation-in-frequency algorithm 503  
 decimation-in-time algorithm 503  
 discrete autocorrelation 539  
 discrete convolution theorem 531ff.  
 discrete correlation theorem 538  
 at double frequency 575  
 endpoint corrections 578f.  
 external storage 525  
 figures of merit for data windows 548  
 filtering 551ff.  
 FIR filter 553  
 Fourier integrals 577ff.  
 Fourier integrals, infinite range 583  
 Hamming window 547  
 Hann window 547  
 history 498  
 IIR filter 553ff.  
 image processing 803, 805  
 integrals using 124  
 inverse of cosine transform 512ff.  
 inverse of sine transform 511  
 large data sets 525  
 leakage 544  
 memory-local algorithm 528  
 multidimensional 515ff.  
 for multiple precision arithmetic 906  
 for multiple precision multiplication 909  
 number-theoretic transforms 503f.  
 operation count 498  
 optimal (Wiener) filtering 539ff., 558  
 order of storage in 501  
 partial differential equations 824, 848ff.  
 Parzen window 547  
 periodicity of 497  
 periodogram 543ff., 566  
 power spectrum estimation 542ff.  
 for quadrature 124  
 of real data in 2D and 3D 519ff.  
 of real functions 504ff., 519ff.  
 related algorithms 503f.  
 Sande-Tukey algorithm 503  
 sine transform 508ff., 850  
 Singleton's algorithm 525  
 square window 546  
 treatment of end effects in convolution 533  
 treatment of end effects in correlation 538f.  
 Tukey's trick for frequency doubling 575  
 use in smoothing data 645  
 used for Lomb periodogram 574  
 variance of power spectrum estimate 544f., 549  
 virtual memory machine 528  
 Welch window 547  
 Winograd algorithms 503  
  
*see also* Discrete Fourier transform (DFT);  
 Fourier transform; Spectral density  
 Faure sequence 300  
 Fax (facsimile) Group 3 standard 901  
 Feasible vector 424  
 FFT *see* Fast Fourier transform (FFT)  
 Field, in data record 329  
 Figure-of-merit function 650  
 Filon's method 583  
 Filter 551ff.  
   acausal 552  
   bilinear transformation method 554  
   causal 552, 644  
   characteristic polynomial 554  
   data smoothing 644f.  
   digital 551ff.  
   DISPO 644  
   by fast Fourier transform (FFT) 523,  
     551ff.  
   finite impulse response (FIR) 531, 552  
   homogeneous modes of 554  
   infinite impulse response (IIR) 552, 553ff.,  
     566  
   Kalman 700  
   linear 552ff.  
   low-pass for smoothing 644ff.  
   nonrecursive 552  
   optimal (Wiener) 535, 539ff., 558, 644  
   quadrature mirror 585, 593  
   realizable 552, 554f.  
   recursive 552, 553ff., 566  
   Remes exchange algorithm 553  
   Savitzky-Golay 183, 644ff.  
   stability of 554f.  
   in the time domain 551ff.  
 Fine-to-coarse operator 864  
 Finite difference equations (FDEs) 753, 763,  
   774  
   alternating-direction implicit method (ADI)  
     847, 861f.  
   art not science 829  
   Cayley's form for unitary operator 844  
   Courant condition 829, 832ff., 836  
   Courant condition (multidimensional) 846  
   Crank-Nicholson method 840, 844, 846  
   eigenmodes of 827f.  
   explicit vs. implicit schemes 827  
   forward Euler 826f.  
   Forward Time Centered Space (FTCS)  
     827ff., 829f., 839ff., 843, 855  
   implicit scheme 840  
   Lax method 828ff., 836  
   Lax method (multidimensional) 845f.  
   mesh drifting instability 834f.  
   numerical derivatives 181  
   partial differential equations 821ff.  
   in relaxation methods 753ff.  
   staggered leapfrog method 833f.  
   two-step Lax-Wendroff method 835ff.  
   upwind differencing 832f., 837  
   *see also* Partial differential equations  
 Finite element methods, partial differential  
   equations 824  
 Finite impulse response (FIR) 531  
 Finkelstein, S. xi

- FIR (finite impulse response) filter 552  
 Fisher's z-transformation 631f.  
 Fitting 650ff.  
   basis functions 665  
   by Chebyshev approximation 185f.  
   chi-square 653ff.  
   confidence levels related to chi-square values 691ff.  
   confidence levels from singular value decomposition (SVD) 693f.  
   confidence limits on fitted parameters 684ff.  
   covariance matrix not always meaningful 651, 690  
   degeneracy of parameters 674  
   an exponential 674  
   freezing parameters in 668, 700  
   Gaussians, a sum of 682  
   general linear least squares 665ff.  
   Kalman filter 700  
   K-S test, caution regarding 621f.  
   least squares 651ff.  
   Legendre polynomials 674  
   Levenberg-Marquardt method 678ff., 816  
   linear regression 655ff.  
   maximum likelihood estimation 652f., 694ff.  
   Monte Carlo simulation 622, 654, 684ff.  
   multidimensional 675  
   nonlinear models 675ff.  
   nonlinear models, advanced methods 683  
   nonlinear problems that are linear 674  
   nonnormal errors 656, 690, 694ff.  
   polynomial 83, 114, 191, 645, 665, 674  
   by rational Chebyshev approximation 197ff.  
   robust methods 694ff.  
   of sharp spectral features 566  
   standard (probable) errors on fitted parameters 657f., 661, 667, 671, 684ff.  
   straight line 655ff., 667f., 698  
   straight line, errors in both coordinates 660ff.  
   *see also* Error; Least squares fitting; Maximum likelihood estimate; Robust estimation
- Five-point difference star 867  
 Fixed point format 18  
 Fletcher-Powell algorithm *see* Davidon-Fletcher-Powell algorithm  
 Fletcher-Reeves algorithm 390, 414ff.  
 Floating point co-processor 886  
 Floating point format 18ff., 882  
   care in numerical derivatives 181  
   IEEE 276, 882  
 Flux-conservative initial value problems 825ff.  
 FMG (full multigrid method) 863, 868  
 FOR iteration 9f., 12  
 Formats of numbers 18ff., 882  
 FORTRAN 9  
   dynamical allocation of storage 869  
   Numerical Recipes in 1  
 FORTRAN-77 xv  
   bit manipulation functions 17  
   hexadecimal constants 17  
 FORTRAN-90 3  
 Forward deflation 363  
 Forward difference operator 161  
 Forward Euler differencing 826f.  
 Forward Time Centered Space *see* FTCS  
 Fourier analysis and cyclic reduction (FACR) 848f., 854  
 Fourier integrals  
   attenuation factors 583  
   endpoint corrections 578f.  
   tail integration by parts 583  
   use of fast Fourier transform (FFT) 577ff.  
 Fourier transform 99, 490ff.  
   aliasing 495, 569  
   approximation of Dawson's integral 253  
   autocorrelation 492  
   basis functions compared 508f.  
   contrasted with wavelet transform 584, 594  
   convolution 492, 503f., 531ff., 909  
   correlation 492, 538f.  
   cosine transform 190, 511ff., 851  
   cosine transform, second form 513, 852  
   critical sampling 494, 543, 545  
   definition 490  
   discrete Fourier transform (DFT) 184, 495ff.  
   Gaussian function 600  
   image processing 803, 805  
   infinite range 583  
   inverse of discrete Fourier transform 497  
   method for partial differential equations 848ff.  
   missing data 569  
   missing data, fast algorithm 574f.  
   Nyquist frequency 494ff., 520, 543, 545, 569, 571  
   optimal (Wiener) filtering 539ff., 558  
   Parseval's theorem 492, 498, 544  
   power spectral density (PSD) 492f.  
   power spectrum estimation by FFT 542ff.  
   power spectrum estimation by maximum entropy method 565ff.  
   properties of 491f.  
   sampling theorem 495, 543, 545, 600  
   scalings of 491  
   significance of a peak in 570  
   sine transform 508ff., 850  
   symmetries of 491  
   uneven sampling, fast algorithm 574f.  
   unevenly sampled data 569ff., 574  
   and wavelets 592f.  
   Wiener-Khinchin theorem 492, 558, 566f.  
   *see also* Fast Fourier transform (FFT); Spectral density
- Fractal region 360f.  
 Fractional step methods 847f.  
 Fredholm alternative 780  
 Fredholm equations 779f.  
   eigenvalue problems 780, 785  
   error estimate in solution 784  
   first kind 779  
 Fredholm alternative 780  
 homogeneous, second kind 785  
 homogeneous vs. inhomogeneous 779f.  
 ill-conditioned 780  
 infinite range 789

- inverse problems 780, 795ff.
  - kernel 779f.
  - nonlinear 781
  - Nystrom method 782ff., 789
  - product Nystrom method 789
  - second kind 779f., 782ff.
  - with singularities 788
  - with singularities, worked example 792
  - subtraction of singularity 789
  - symmetric kernel 785
  - see also* Inverse problems
  - Frequency domain 490
  - Frequency spectrum *see* Fast Fourier transform (FFT)
  - Frequentist, contrasted with Bayesian 810
  - Fresnel integrals 248ff.
    - asymptotic form 249
    - continued fraction 248f.
    - routine for 249f.
    - series 248
  - Friday the Thirteenth 14f.
  - FTCS (forward time centered space) 827ff., 839ff., 843
    - stability of 827ff., 839ff., 855
  - Full approximation storage (FAS) algorithm 874
  - Full moon 14f.
  - Full multigrid method (FMG) 863, 868
  - Full Newton methods, nonlinear least squares 683
  - Full pivoting 29
  - Full weighting 867
  - Function
    - Airy 204, 243f.
    - approximation 99ff., 184ff.
    - associated Legendre polynomial 246ff., 764
    - autocorrelation of 492
    - bandwidth limited 495
    - Bessel 172, 204, 223ff., 234
    - beta 209
    - branch cuts of 202f.
    - chi-square probability 215, 798
    - complex 202
    - confluent hypergeometric 204, 239
    - convolution of 492
    - correlation of 492
    - Coulomb wave 204, 234
    - cumulative binomial probability 222f.
    - cumulative Poisson 209ff.
    - Dawson's integral 252ff., 600
    - digamma 216
    - elliptic integrals 254ff., 906
    - error 213f., 248, 252, 601, 631, 635
    - evaluation 159ff.
    - evaluation by path integration 201ff., 263
    - exponential integral 172, 215ff., 250
    - F-distribution probability 222
    - Fresnel integral 248ff.
    - gamma 206
    - hypergeometric 202f., 263ff.
    - incomplete beta 219ff., 610
    - incomplete gamma 209ff., 615, 654, 657f.
    - inverse hyperbolic 178, 255
    - inverse trigonometric 255
    - Jacobian elliptic 261
    - Kolmogorov-Smirnov probability 618f., 640
    - Legendre polynomial 172, 246, 674
    - logarithm 255
    - modified Bessel 229ff.
    - modified Bessel, fractional order 239ff.
    - path integration to evaluate 201ff.
    - pathological 99f., 343
    - Poisson cumulant 214
    - representations of 490
    - routine for plotting a 342
    - sine and cosine integrals 248, 250ff.
    - sn, dn, cn 261
    - spherical harmonics 246ff.
    - spheroidal harmonic 764ff., 770f., 772
    - Student's probability 221f.
    - Weber 204
  - Functional iteration, for implicit equations 740f.
  - FWHM (full width at half maximum) 548f.
- G**amma deviate 282f.
- Gamma function 206ff.
    - incomplete *see* Incomplete gamma function
  - Gauss-Chebyshev integration 141, 144, 512f.
  - Gauss-Hermite integration 144, 789
    - abscissas and weights 147
    - normalization 147
  - Gauss-Jacobi integration 144
    - abscissas and weights 148
  - Gauss-Jordan elimination 27ff., 33, 64
    - operation count 34, 39
    - solution of normal equations 667
    - storage requirements 30
  - Gauss-Kronrod quadrature 154
  - Gauss-Laguerre integration 144, 789
  - Gauss-Legendre integration 145f.
    - see also* Gaussian integration
  - Gauss-Lobatto quadrature 154, 190, 512
  - Gauss-Radau quadrature 154
  - Gauss-Seidel method (relaxation) 855, 857, 864, 865f.
    - nonlinear 876
  - Gauss transformation 256
  - Gaussian (normal) distribution 267, 652, 798
    - central limit theorem 652f.
    - deviates from 279f., 571
    - kurtosis of 606
    - multivariate 690
    - semi-invariants of 608
    - tails compared to Poisson 653
    - two-dimensional (binormal) 631
    - variance of skewness of 606
  - Gaussian elimination 33f., 51, 55
    - fill-in 45, 64
    - integral equations 786
    - operation count 34
    - in reduction to Hessenberg form 478
    - relaxation solution of boundary value problems 753ff., 777

- Gaussian function  
 Hardy's theorem on Fourier transforms 600  
*see also* Gaussian (normal) distribution
- Gaussian integration 127, 140ff., 789  
 calculation of abscissas and weights 142ff.  
 error estimate in solution 784  
 extensions of 153f.  
 Golub-Welsch algorithm for weights and abscissas 150  
 for integral equations 781, 783  
 from known recurrence relation 150  
 nonclassical weight function 151ff., 788f.  
 and orthogonal polynomials 142  
 preassigned nodes 153f.  
 weight function  $\log x$  153  
 weight functions 140ff., 788f.
- Gear's method (stiff ODEs) 730
- Geiger counter 266
- Generalized eigenvalue problems 455
- Generalized minimum residual method (GMRES) 78
- Geophysics, use of Backus-Gilbert method 809
- Gerchberg-Saxton algorithm 805
- Gilbert and Sullivan 714
- Givens reduction 462f., 473  
 fast 463  
 operation count 463
- Glassman, A.J. 180
- Global optimization 387f., 436ff., 650  
 continuous variables 443f.
- Globally convergent minimization 418ff.  
 root finding 373, 376ff., 382, 749f., 752
- GMRES (generalized minimum residual method) 78
- GNU Emacs xi
- Godunov's method 837
- Golden mean (golden ratio) 21, 349, 392f., 399
- Golden section search 341, 389, 390ff., 395
- Golub-Welsch algorithm, for Gaussian quadrature 150
- Goodness-of-fit 650, 654, 657f., 662, 690
- GOTO statements, danger of 9
- Gram-Schmidt  
 biorthogonalization 415f.  
 orthogonalization 94, 450, 451  
 SVD as alternative to 58
- Graphics, function plotting 342
- Gravitational potential 519
- Gray code 300, 881, 886ff.
- Greenbaum, A. 79
- Gregorian calendar 13, 16
- Grid square 116f.
- Group, dihedral 894
- Guard digits 882
- H**alf weighting 867
- Halton's quasi-random sequence 300
- Hamming window 547
- Hamming's motto 341
- Hann window 547
- Harmonic analysis *see* Fourier transform
- Hashing 293
- HDLC checksum 890
- Heap (data structure) 327f., 336, 897
- Heapsort 320, 327f., 336
- Helmholtz equation 852
- Hermite polynomials 144, 147
- Hermitian matrix 450ff., 475
- Hertz (unit of frequency) 490
- Hessenberg matrix 94, 453, 470, 476ff., 488  
*see also* Matrix
- Hessian matrix 382, 408, 415f., 419f., 676ff., 803, 815  
 is inverse of covariance matrix 667, 679  
 second derivatives in 676
- Hexadecimal constants 17f., 276, 293
- Hierarchically band diagonal matrix 598
- Hierarchy of program structure 6ff.
- High-order not same as high-accuracy 100f., 124, 389, 399, 705, 709, 741
- High-pass filter 551
- Hilbert matrix 83
- Historic maximum entropy method 816f.
- Homogeneous linear equations 53
- Hook step methods 386
- Hotelling's method for matrix inverse 49, 598
- Householder transformation 52, 453, 462ff., 469, 473, 475, 478, 481ff.  
 operation count 467  
 in QR decomposition 92
- Huffman coding 564, 881, 896f., 902
- Hyperbolic functions, explicit formulas for inverse 178
- Hyperbolic partial differential equations 818  
 advective equation 826  
 flux-conservative initial value problems 825ff.
- Hypergeometric function 202f., 263ff.  
 routine for 264f.
- Hypothesis, null 603
- I**BM xvii  
 bad random number generator 268  
 PC 4, 276, 293, 886  
 PC-RT 4  
 radix base for floating point arithmetic 476  
 RS6000 4
- IBM checksum 894
- ICCG (incomplete Cholesky conjugate gradient method) 824
- ICF (intrinsic correlation function) model 817
- Identity (unit) matrix 25
- IEEE floating point format 276, 882f.
- IF structure 12f.
- IIR (infinite impulse response) filter 552ff., 566
- Ill-conditioned integral equations 780
- Image processing 519, 803  
 cosine transform 513  
 fast Fourier transform (FFT) 519, 523, 803  
 as an inverse problem 803  
 maximum entropy method (MEM) 809ff.  
 from modulus of Fourier transform 805  
 wavelet transform 596f.

- Implicit  
   function theorem 340  
   pivoting 30  
   shifts in QL method 472ff.  
 Implicit differencing 827  
   for diffusion equation 840  
   for stiff equations 729, 740  
 Importance sampling, in Monte Carlo 306f.  
 Improper integrals 135ff.  
 Impulse response function 531, 540, 552  
 IMSL xvii, 26, 64, 205, 364, 369, 454  
 In-place selection 335  
 Incomplete beta function 219ff.  
   for F-test 613  
   routine for 220f.  
   for Student's t 610, 613  
 Incomplete Cholesky conjugate gradient method (ICCG) 824  
 Incomplete gamma function 209ff.  
   for chi-square 615, 654, 657f.  
   deviates from 282f.  
   in mode estimation 610  
   routine for 211f.  
 Increment of linear congruential generator 268  
 Indentation of blocks 9  
 Index 934ff.  
   this entry 946  
 Index table 320, 329f.  
 Inequality constraints 423  
 Inheritance 8  
 Initial value problems 702, 818f.  
   *see also* Differential equations;  
   Partial differential equations  
 Injection operator 864  
 Instability *see* Stability  
 Integer programming 436  
 Integral equations 779ff.  
   adaptive stepsize control 788  
   block-by-block method 788  
   correspondence with linear algebraic equations 779ff.  
   degenerate kernel 785  
   eigenvalue problems 780, 785  
   error estimate in solution 784  
   Fredholm 779f., 782ff.  
   Fredholm alternative 780  
   homogeneous, second kind 785  
   ill-conditioned 780  
   infinite range 789  
   inverse problems 780, 795ff.  
   kernel 779  
   nonlinear 781, 787  
   Nystrom method 782ff., 789  
   product Nystrom method 789  
   with singularities 788ff.  
   with singularities, worked example 792  
   subtraction of singularity 789  
   symmetric kernel 785  
   unstable quadrature 787f.  
   Volterra 780f., 786ff.  
   wavelets 782  
   *see also* Inverse problems  
 Integral operator, wavelet approximation of 597, 782  
 Integration of functions 123ff.  
   cosine integrals 250  
   Fourier integrals 577ff.  
   Fourier integrals, infinite range 583  
   Fresnel integrals 248  
   Gauss-Hermite 147f.  
   Gauss-Laguerre 146  
   Gauss-Legendre 145  
   integrals that are elliptic integrals 254  
   path integration 201ff.  
   sine integrals 250  
   *see also* Quadrature  
 Integro-differential equations 782  
 Interface, in programs 2, 8  
 Intermediate value theorem 343  
 Internet xvii  
 Interpolation 99ff.  
   Aitken's algorithm 102  
   avoid 2-stage method 100  
   avoid in Fourier analysis 569  
   bicubic 118f.  
   bilinear 117  
   caution on high-order 100  
   coefficients of polynomial 100, 113ff., 191, 575  
   for computing Fourier integrals 578  
   error estimates for 100  
   of functions with poles 104ff.  
   inverse quadratic 353, 395ff.  
   multidimensional 101f., 116ff.  
   in multigrid method 866  
   Neville's algorithm 102f., 182  
   Nystrom 783  
   offset arrays 104, 113  
   operation count for 100  
   operator 864  
   order of 100  
   and ordinary differential equations 101  
   oscillations of polynomial 100, 116, 389, 399  
   parabolic, for minimum finding 395  
   polynomial 99, 102ff., 182  
   rational Chebyshev approximation 197ff.  
   rational function 99, 104ff., 194ff., 225, 718ff., 726  
   reverse (extrapolation) 574  
   spline 100, 107ff., 120f.  
   trigonometric 99  
   *see also* Fitting  
 Interval variable (statistics) 623  
 Intrinsic correlation function (ICF) model 817  
 Inverse hyperbolic function 178, 255  
 Inverse iteration *see* Eigensystems  
 Inverse problems 779, 795ff.  
   Backus-Gilbert method 806ff.  
   Bayesian approach 799, 810f., 816f.  
   central idea 799  
   constrained linear inversion method 799ff.  
   data inversion 807  
   deterministic constraints 804ff.  
   in geophysics 809  
   Gerchberg-Saxton algorithm 805  
   incomplete Fourier coefficients 813  
   and integral equations 780  
   linear regularization 799ff.

- maximum entropy method (MEM) 810, 815f.  
 MEM demystified 814  
 Phillips-Twomey method 799ff.  
 principal solution 797  
 regularization 796ff.  
 regularizing operator 798  
 stabilizing functional 798  
 Tikhonov-Miller regularization 799ff.  
 trade-off curve 795  
 trade-off curve, Backus-Gilbert method 809  
 two-dimensional regularization 803  
 use of conjugate gradient minimization 804, 815  
 use of convex sets 804  
 use of Fourier transform 803, 805  
 Van Cittert's method 804  
 Inverse quadratic interpolation 353, 395ff.  
 Inverse response kernel, in Backus-Gilbert method 807  
 Inverse trigonometric function 255  
 ISBN (International Standard Book Number) checksum 894  
 Iterated integrals 155  
 Iteration 9f.  
   functional 740f.  
   to improve solution of linear algebraic equations 47ff., 195  
   for linear algebraic equations 26  
   required for two-point boundary value problems 745  
   in root finding 340f.  
 Iteration matrix 856  
 ITPACK 71
- J**acobi matrix, for Gaussian quadrature 150  
 Jacobi transformation (or rotation) 94, 453, 456ff., 462, 475, 489  
 Jacobian determinant 279, 774  
 Jacobian elliptic functions 261  
 Jacobian matrix 374, 376, 379, 382, 731  
   singular in Newton's rule 386  
 Jacobi's method (relaxation) 855f., 857, 864  
 Jenkins-Traub method 369  
 Julian Day 1, 13, 16  
 Jump transposition errors 895
- K-S** test *see* Kolmogorov-Smirnov test  
 Kalman filter 700  
 Kaps-Rentrop method 730  
 Kendall's tau 634, 637ff.  
 Kermit checksum 889  
 Kernel 779  
   averaging, in Backus-Gilbert method 807  
   degenerate 785  
   finite rank 785  
   inverse response 807  
   separable 785  
   singular 788f.  
   symmetric 785  
 Keys used in sorting 329, 889
- Kolmogorov-Smirnov test 614, 617ff., 694  
   two-dimensional 640  
   variants 620ff., 640  
 Kuiper's statistic 621  
 Kurtosis 606, 608
- L**-estimate 694  
 Labels, statement 9  
 Lag 492, 538, 553  
 Lagrange multiplier 795  
 Lagrange's formula for polynomial interpolation 84, 102f., 575, 578  
 Laguerre's method 341, 365f.  
 Lanczos lemma 498f.  
 Lanczos method for gamma function 206  
 Landen transformation 256  
 LAPACK 26  
 Laplace's equation 246, 818  
   *see also* Poisson equation  
 Las Vegas 625  
 Latin square or hypercube 305f.  
 Laurent series 566  
 Lax method 828ff., 836, 845f.  
   multidimensional 845f.  
 Lax-Wendroff method 835ff.  
 Leakage in power spectrum estimation 544, 548  
 Leakage width 548f.  
 Leapfrog method 833f.  
 Least squares filters *see* Savitzky-Golay filters  
 Least squares fitting 645, 651ff., 655ff., 660ff., 665ff.  
   contrasted to general minimization problems 684ff.  
   degeneracies in 671f., 674  
   Fourier components 570  
   freezing parameters in 668, 700  
   general linear case 665ff.  
   Levenberg-Marquardt method 678ff., 816  
   Lomb periodogram 570  
   as M-estimate for normal errors 696  
   as maximum likelihood estimator 652  
   as method for smoothing data 645  
   multidimensional 675  
   nonlinear 386, 675ff., 816  
   nonlinear, advanced methods 683  
   normal equations 645, 666f., 800  
   normal equations often singular 670, 674  
   optimal (Wiener) filtering 540f.  
   QR method in 94, 668  
   for rational Chebyshev approximation 199f.  
   relation to linear correlation 630, 658  
   Savitzky-Golay filter as 645  
   singular value decomposition (SVD) 25f., 51ff., 199f., 670ff.  
   skewed by outliers 653  
   for spectral analysis 570  
   standard (probable) errors on fitted parameters 667, 671  
   weighted 652  
   *see also* Fitting  
 L'Ecuyer's long period random generator 271, 273

- Left eigenvalues or eigenvectors 451
- Legal matters xvi
- Legendre elliptic integral *see* Elliptic integrals
- Legendre polynomials 246  
   fitting data to 674  
   recurrence relation 172  
   shifted monic 151  
   *see also* Associated Legendre polynomials;  
   Spherical harmonics
- Lehmer-Schur algorithm 369
- Lemarie's wavelet 593
- Lentz's method for continued fraction 165,  
 212
- Lepage, P. 309
- Leptokurtic distribution 606
- Levenberg-Marquardt algorithm 386, 678ff.,  
 816  
   advanced implementation 683
- Levinson's method 86
- Lewis, H.W. 275
- License information iv, xvi
- Limbo 356
- Limit cycle, in Laguerre's method 365
- Line minimization *see* Minimization, along a  
 ray
- Line search *see* Minimization, along a ray
- Linear algebraic equations 22ff.  
   band diagonal 43ff.  
   biconjugate gradient method 77  
   Cholesky decomposition 89f., 423, 455,  
   668  
   complex 41  
   computing  $\mathbf{A}^{-1} \cdot \mathbf{B}$  40  
   conjugate gradient method 77ff., 599  
   cyclic tridiagonal 67  
   direct methods 26, 64  
   Gauss-Jordan elimination 27ff.  
   Gaussian elimination 33f.  
   Hilbert matrix 83  
   Hotelling's method 49, 598  
   and integral equations 779ff., 783  
   iterative improvement 47ff., 195  
   iterative methods 26, 77ff.  
   large sets of 23  
   least squares solution 53ff., 57f., 199f.,  
   671  
   LU decomposition 34ff., 195, 386, 732,  
   783, 786, 801  
   nonsingular 23  
   overdetermined 25f., 199, 670, 797  
   partitioned 70  
   QR decomposition 91f., 382, 386, 668  
   row vs. column elimination 31f.  
   Schultz's method 49, 598  
   Sherman-Morrison formula 65ff., 83  
   singular 22, 53, 58, 199, 670  
   singular value decomposition (SVD) 51ff.,  
   199f., 670ff., 797  
   sparse 23, 43, 63ff., 732, 804  
   summary of tasks 25f.  
   Toeplitz 82, 85ff., 195  
   Vandermonde 82ff., 114  
   wavelet solution 597ff., 782  
   Woodbury formula 68ff., 83  
   *see also* Eigensystems
- Linear congruential random number generator  
 267ff.  
   choice of constants for 274ff., 275
- Linear constraints 423
- Linear convergence 346, 393
- Linear correlation (statistics) 630ff.
- Linear dependency  
   constructing orthonormal basis 58, 94  
   of directions in  $N$ -dimensional space 409  
   in linear algebraic equations 22f.
- Linear equations *see* Differential equations;  
 Integral equations; Linear algebraic  
 equations
- Linear inversion method, constrained 799ff.
- Linear prediction 557ff.  
   characteristic polynomial 559  
   coefficients 557ff.  
   compared to maximum entropy method  
   558  
   compared with regularization 801  
   contrasted to polynomial extrapolation  
   560  
   related to optimal filtering 558  
   removal of bias in 563  
   stability 559f.
- Linear predictive coding (LPC) 563ff.
- Linear programming 387, 423ff.  
   artificial variables 429  
   auxiliary objective function 430  
   basic variables 426  
   composite simplex algorithm 435  
   constraints 423  
   convergence criteria 432  
   degenerate feasible vector 429  
   dual problem 435  
   equality constraints 423  
   feasible basis vector 426  
   feasible vector 424  
   fundamental theorem 426  
   inequality constraints 423  
   left-hand variables 426  
   nonbasic variables 426  
   normal form 426  
   objective function 424  
   optimal feasible vector 424  
   pivot element 428f.  
   primal-dual algorithm 435  
   primal problem 435  
   reduction to normal form 429ff.  
   restricted normal form 426ff.  
   revised simplex method 435  
   right-hand variables 426  
   simplex method 402, 423ff., 426ff., 431ff.  
   slack variables 429  
   tableau 427  
   vertex of simplex 426
- Linear regression 655ff., 660ff.  
   *see also* Fitting
- Linear regularization 799ff.
- LINPACK 26
- Little-endian 293
- Local extrapolation 709
- Local extremum 387f., 437
- Localization of roots *see* Bracketing
- Logarithmic function 255

- Lomb periodogram method of spectral analysis 569f.  
 fast algorithm 574f.
- Loops 9f.
- Lorentzian probability distribution 282, 696f.
- Low-pass filter 551, 644f.
- LP coefficients *see* Linear prediction
- LPC (linear predictive coding) 563ff.
- LU decomposition 34ff., 47f., 51, 55, 64, 97, 374, 667, 732  
 for  $\mathbf{A}^{-1} \cdot \mathbf{B}$  40  
 band diagonal matrix 43ff., 45  
 complex equations 41f.  
 Crout's algorithm 36ff., 45  
 for integral equations 783, 786  
 for inverse iteration of eigenvectors 488  
 for inverse problems 801  
 for matrix determinant 41  
 for matrix inverse 40  
 for nonlinear sets of equations 374, 386  
 operation count 36, 39  
 for Padé approximant 195  
 pivoting 37f.  
 repeated backsubstitution 40, 46  
 solution of linear algebraic equations 40  
 solution of normal equations 667  
 for Toeplitz matrix 87
- Lucifer 290
- M**-estimates 694ff.  
 how to compute 697f.  
 local 695ff.  
*see also* Maximum likelihood estimate
- Machine accuracy 19f., 881f.
- Macintosh, *see* Apple Macintosh
- Maehly's procedure 364, 371
- Magic  
 in MEM image restoration 814  
 in Padé approximation 195
- Mantissa in floating point format 19, 882, 909
- Marginals 624
- Marquardt method (least squares fitting) 678ff., 816
- Mass, center of 295f.
- MasterCard checksum 894
- Mathematical Center (Amsterdam) 353
- Matrix 23ff.  
 approximation of 58f., 598f.  
 band diagonal 42, 43ff., 64  
 band triangular 64  
 banded 26, 454  
 bidiagonal 52  
 block diagonal 64, 754  
 block triangular 64  
 block tridiagonal 64  
 bordered 64  
 characteristic polynomial 449, 469  
 Cholesky decomposition 89f., 423, 455, 668  
 column augmented 28  
 complex 41  
 condition number 53, 78  
 curvature 677  
 cyclic banded 64  
 cyclic tridiagonal 67  
 defective 450, 476, 489  
 of derivatives *see* Hessian matrix; Jacobian determinant  
 design (fitting) 645, 665, 801  
 determinant of 25, 41  
 diagonalization 452ff.  
 elementary row and column operations 28f.  
 finite differencing of partial differential equations 821ff.  
 Hermitian 450, 454, 475  
 Hermitian conjugate 450  
 Hessenberg 94, 453, 470, 476ff., 478, 488  
 Hessian *see* Hessian matrix  
 hierarchically band diagonal 598  
 Hilbert 83  
 identity 25  
 ill-conditioned 53, 56, 114  
 indexed storage of 71f.  
 and integral equations 779, 783  
 inverse 25, 27, 34, 40, 65ff., 70, 95ff.  
 inverse, approximate 49  
 inverse by Hotelling's method 49, 598  
 inverse by Schultz's method 49, 598  
 inverse multiplied by a matrix 40  
 iteration for inverse 49, 598  
 Jacobi transformation 453, 456ff., 462  
 Jacobian 731  
 logical dimension 24  
 lower triangular 34f., 89, 781  
 multiplication denoted by dot 23  
 norm 50  
 normal 450, 451f.  
 nullity 53  
 nullspace 25, 53, 54, 449, 795  
 orthogonal 91, 450, 463ff., 587  
 orthogonal transformation 452, 463ff., 469  
 orthonormal basis 58, 94  
 outer product denoted by cross 66, 420  
 partitioning for determinant 70  
 partitioning for inverse 70  
 pattern multiply of sparse 74  
 physical dimension 24  
 positive definite 26, 89f., 668  
 QR decomposition 91f., 382, 386, 668  
 range 53  
 rank 53  
 residual 49  
 row and column indices 23  
 row vs. column operations 31f.  
 self-adjoint 450  
 similarity transform 452ff., 456, 476, 478, 482  
 singular 53, 54, 58, 449  
 singular value decomposition 26, 51ff., 797  
 sparse 23, 63ff., 71, 598, 732, 754, 804  
 special forms 26  
 splitting in relaxation method 856f.  
 spread 808  
 square root of 423, 455  
 symmetric 26, 89, 450, 454, 462ff., 668, 785  
 threshold multiply of sparse 74



- Toeplitz 82, 85ff., 195  
 transpose of sparse 73f.  
 triangular 453  
 tridiagonal 26, 42f., 64, 109, 150, 453,  
 454, 462ff., 469ff., 488, 839f., 853,  
 861f.  
 tridiagonal with fringes 822  
 unitary 450  
 updating 94, 382, 386  
 upper triangular 34f., 91  
 Vandermonde 82ff., 114  
*see also* Eigensystems
- Matrix equations *see* Linear algebraic equations
- Matterhorn 606
- Maximization *see* Minimization
- Maximum entropy method (MEM) 565ff.  
 algorithms for image restoration 815f.  
 Bayesian 816f.  
 Cornwell-Evans algorithm 816  
 demystified 814  
 historic vs. Bayesian 816f.  
 image restoration 809ff.  
 intrinsic correlation function (ICF) model  
 817  
 for inverse problems 809ff.  
 operation count 567  
*see also* Linear prediction
- Maximum likelihood estimate (M-estimates)  
 690, 694ff.  
 and Bayes' Theorem 811  
 chi-square test 690  
 defined 652  
 how to compute 697f.  
 mean absolute deviation 696, 698  
 relation to least squares 652
- Maxwell's equations 825f.
- Mean(s)  
 of distribution 604f., 608f.  
 statistical differences between two 609ff.
- Mean absolute deviation of distribution 605,  
 696  
 related to median 698
- Measurement errors 650
- Median 320  
 calculating 333  
 of distribution 605, 608f.  
 as L-estimate 694  
 role in robust straight line fitting 698  
 by selection 698
- Median-of-three, in Quicksort 324
- MEM *see* Maximum entropy method (MEM)
- Merit function 650  
 in general linear least squares 665  
 for inverse problems 797  
 nonlinear models 675  
 for straight line fitting 656, 698  
 for straight line fitting, errors in both coordinates 660
- Mesh-drift instability 834f.
- Mesokurtic distribution 606
- Method of regularization 799ff.
- Metropolis algorithm 437f.
- Microsoft xvii
- Midpoint method *see* Modified midpoint method;  
 Semi-implicit midpoint rule
- Mikado, or Town of Titipu 714
- Miller's algorithm 175, 228
- Minimal solution of recurrence relation 174
- Minimax polynomial 186, 198
- Minimax rational function 198
- Minimization 387ff.  
 along a ray 77, 376f., 389, 406ff., 412f.,  
 415f., 418  
 annealing, method of simulated 387f.,  
 436ff.  
 bracketing of minimum 390ff., 402  
 Brent's method 389, 395ff., 399, 660f.  
 Broyden-Fletcher-Goldfarb-Shanno algo-  
 rithm 390, 418ff.  
 chi-square 653ff., 675ff.  
 choice of methods 388f.  
 combinatorial 436f.  
 conjugate gradient method 390, 413ff.,  
 804, 815  
 convergence rate 393, 409  
 Davidon-Fletcher-Powell algorithm 390,  
 418ff.  
 degenerate 795  
 direction-set methods 389, 406ff.  
 downhill simplex method 389, 402ff.,  
 444, 697f.  
 finding best-fit parameters 650  
 Fletcher-Reeves algorithm 390, 414ff.  
 functional 795  
 global 387f., 443f., 650  
 globally convergent multidimensional 418  
 golden section search 390ff., 395  
 multidimensional 388f., 402ff.  
 in nonlinear model fitting 675f.  
 Polak-Ribiere algorithm 390, 414ff.  
 Powell's method 389, 402, 406ff.  
 quasi-Newton methods 376, 390, 418ff.  
 and root finding 375  
 scaling of variables 420  
 by searching smaller subspaces 815  
 steepest descent method 414, 804  
 termination criterion 392, 404  
 use in finding double roots 341  
 use for sparse linear systems 77ff.  
 using derivatives 389f., 399ff.  
 variable metric methods 390, 418ff.  
*see also* Linear programming
- Minimum residual method, for sparse system  
 78
- MINPACK 683
- MIPS 886
- Missing data problem 569
- Mississippi River 438f., 447
- Mode of distribution 605, 609
- Modeling of data *see* Fitting
- Model-trust region 386, 683
- Modes, homogeneous, of recursive filters 554
- Modified Bessel functions *see* Bessel func-  
 tions
- Modified Lentz's method, for continued frac-  
 tions 165
- Modified midpoint method 716ff., 720
- Modified moments 152

- Modula-2 7
- Modular arithmetic, without overflow 269, 271, 275
- Modularization, in programs 7f.
- Modulus of linear congruential generator 268
- Moments
- of distribution 604ff.
  - filter that preserves 645
  - modified problem of 151f.
  - problem of 83
  - and quadrature formulas 791
  - semi-invariants 608
- Monic polynomial 142f.
- Monotonicity constraint, in upwind differencing 837
- Monte Carlo 155ff., 267
- adaptive 306ff., 309ff.
  - bootstrap method 686f.
  - comparison of sampling methods 309
  - exploration of binary tree 290
  - importance sampling 306f.
  - integration 124, 155ff., 295ff., 306ff.
  - integration, recursive 314ff.
  - integration, using Sobol' sequence 304
  - integration, VEGAS algorithm 309ff.
  - and Kolmogorov-Smirnov statistic 622, 640
  - partial differential equations 824
  - quasi-random sequences in 299ff.
  - quick and dirty 686f.
  - recursive 306ff., 314ff.
  - significance of Lomb periodogram 570
  - simulation of data 654, 684ff., 690
  - stratified sampling 308f., 314
- Moon, calculate phases of 1f., 14f.
- Mother functions 584
- Mother Nature 684, 686
- Moving average (MA) model 566
- Moving window averaging 644
- Mozart 9
- MS xvii
- Muller's method 364, 372
- Multidimensional
- confidence levels of fitting 688f.
  - data, use of binning 623
  - Fourier transform 515ff.
  - Fourier transform, real data 519ff.
  - initial value problems 844ff.
  - integrals 124, 155ff., 295ff., 306ff.
  - interpolation 116ff.
  - Kolmogorov-Smirnov test 640
  - least squares fitting 675
  - minimization 402ff., 406ff., 413ff.
  - Monte Carlo integration 295ff., 306ff.
  - normal (Gaussian) distribution 690
  - optimization 388f.
  - partial differential equations 844ff.
  - root finding 340, 341f., 358, 370, 372ff., 375, 376, 746, 749f., 752, 754
  - search using quasi-random sequence 300
  - secant method 373, 382f.
  - wavelet transform 595
- Multigrid method 824, 862ff.
- avoid SOR 866
  - boundary conditions 868f.
  - choice of operators 868
  - coarse-to-fine operator 864
  - coarse-grid correction 864f.
  - cycle 865
  - dual viewpoint 875
  - fine-to-coarse operator 864
  - full approximation storage (FAS) algorithm 874
  - full multigrid method (FMG) 863, 868
  - full weighting 867
  - Gauss-Seidel relaxation 865f.
  - half weighting 867
  - importance of adjoint operator 867
  - injection operator 864
  - interpolation operator 864
  - line relaxation 866
  - local truncation error 875
  - Newton's rule 874, 876
  - nonlinear equations 874ff.
  - nonlinear Gauss-Seidel relaxation 876
  - odd-even ordering 866, 869
  - operation count 862
  - prolongation operator 864
  - recursive nature 865
  - relative truncation error 875
  - relaxation as smoothing operator 865
  - restriction operator 864
  - speeding up FMG algorithm 873
  - stopping criterion 875f.
  - straight injection 867
  - symbol of operator 866f.
  - use of Richardson extrapolation 869
  - V-cycle 865
  - W-cycle 865
  - zebra relaxation 866
- Multiple precision arithmetic 906ff.
- Multiple roots 341, 362
- Multiplication, complex 171
- Multiplication, multiple precision 907, 909
- Multiplier of linear congruential generator 268
- Multistep and multivalued methods (ODEs) 740ff.
- see also* Differential Equations; Predictor-corrector methods
- Multivariate normal distribution 690
- Murphy's Law 407
- Musical scores 5f.
- N**AG xvii, 26, 64, 205, 454
- National Science Foundation (U.S.) xii, xv
- Natural cubic spline 109
- Navier-Stokes equation 830, 831
- Needle, eye of (minimization) 403
- Negation, multiple precision 907
- Negentropy 811, 896
- Nelder-Mead minimization method 389, 402
- Nested iteration 868
- Neumann boundary conditions 820, 840, 851, 858
- Neutrino 640
- Neville's algorithm 102f., 105, 134, 182
- Newton-Cotes formulas 125ff., 140
- Newton-Raphson method *see* Newton's rule

- Newton's rule 143f., 180, 341, 355ff., 362, 364, 469  
   with backtracking 376  
   caution on use of numerical derivatives 356ff.  
   fractal domain of convergence 360f.  
   globally convergent multidimensional 373, 376ff., 382, 749f., 752  
   for matrix inverse 49, 598  
   in multidimensions 370, 372ff., 749f., 752, 754  
   in nonlinear multigrid 874, 876  
   nonlinear Volterra equations 787  
   for reciprocal of number 911  
   safe 359  
   scaling of variables 381  
   singular Jacobian 386  
   solving stiff ODEs 740  
   for square root of number 912  
 Niederreiter sequence 300  
 NL2SOL 683  
 Noise  
   bursty 889  
   effect on maximum entropy method 567  
   equivalent bandwidth 548  
   fitting data which contains 647f., 650  
   model, for optimal filtering 541  
 Nominal variable (statistics) 623  
 Nonexpansive projection operator 805  
 Non-interfering directions *see* Conjugate directions  
 Nonlinear eigenvalue problems 455  
 Nonlinear elliptic equations, multigrid method 874ff.  
 Nonlinear equations, in MEM inverse problems 813  
 Nonlinear equations, roots of 340ff.  
 Nonlinear instability 831  
 Nonlinear integral equations 781, 787  
 Nonlinear programming 436  
 Nonnegativity constraints 423  
 Nonparametric statistics 633ff.  
 Nonpolynomial complete (NP-complete) 438  
 Norm, of matrix 50  
 Normal (Gaussian) distribution 267, 652, 682, 798  
   central limit theorem 652f.  
   deviates from 279f., 571  
   kurtosis of 607  
   multivariate 690  
   semi-invariants of 608  
   tails compared to Poisson 653  
   two-dimensional (binormal) 631  
   variance of skewness of 606  
 Normal equations (fitting) 26, 645, 666ff., 795, 800  
   often are singular 670  
 Normalization  
   of Bessel functions 175  
   of floating-point representation 19, 882  
   of functions 142, 765  
   of modified Bessel functions 232  
 Notch filter 551, 555f.  
 NP-complete problem 438  
 Null hypothesis 603  
 Nullity 53  
 Nullspace 25, 53, 54, 449, 795  
 Number-theoretic transforms 503f.  
 Numerical derivatives 180ff., 645  
 Numerical integration *see* Quadrature  
 Numerical Recipes  
   compatibility with First Edition 4  
   Example Book 3  
   how to get programs iv  
   how to report bugs iv  
   no warranty on xvi  
   table of dependencies 921ff.  
   as trademark xvii  
 Numerical Recipes Software xi, xvii  
   address and fax number iv  
 Nyquist frequency 494ff., 520, 543, 545, 569, 570f.  
 Nystrom method 782, 783, 789  
   product version 789
- O**bject extensibility 8  
 Objective function 424  
 Object-oriented programming 2, 8  
 Oblateness parameter 764  
 Odd parity 888  
 Odd-even ordering  
   in Gauss-Seidel relaxation 866, 869  
   in successive over-relaxation (SOR) 859  
 OEM information xvii  
 One-sided power spectral density 492  
 Operation count  
   balancing 476  
   Bessel function evaluation 228  
   bisection method 346  
   Cholesky decomposition 90  
   coefficients of interpolating polynomial 114f.  
   complex multiplication 97  
   cubic spline interpolation 109  
   evaluating polynomial 168  
   fast Fourier transform (FFT) 498  
   Gauss-Jordan elimination 34, 39  
   Gaussian elimination 34  
   Givens reduction 463  
   Householder reduction 467  
   interpolation 100  
   inverse iteration 488  
   iterative improvement 48  
   Jacobi transformation 460  
   Kendall's tau 637  
   linear congruential generator 268  
   LU decomposition 36, 39  
   matrix inversion 97  
   matrix multiplication 96  
   maximum entropy method 567  
   multidimensional minimization 413f.  
   multigrid method 862  
   multiplication 909  
   polynomial evaluation 97f., 168  
   QL method 470, 473  
   QR decomposition 92  
   QR method for Hessenberg matrices 484  
   reduction to Hessenberg form 479  
   selection by partitioning 333

- sorting 320ff.
    - Spearman rank-order coefficient 638
    - Toeplitz matrix 83
    - Vandermonde matrix 83
  - Operator overloading 7
  - Operator splitting 823, 847f., 861
  - Optimal feasible vector 424
  - Optimal (Wiener) filtering 535, 539ff., 558, 644
    - compared with regularization 801
  - Optimization *see* Minimization
  - Ordinal variable (statistics) 623
  - Ordinary differential equations *see* Differential equations
  - Orthogonal *see* Orthonormal functions; Orthonormal polynomials
  - Orthogonal transformation 452, 463ff., 469, 584
  - Orthonormal basis, constructing 58, 94
  - Orthonormal functions 142, 246
  - Orthonormal polynomials
    - Chebyshev 144, 184ff.
    - construct for arbitrary weight 151ff.
    - in Gauss-Hermite integration 147
    - and Gaussian quadrature 142
    - Gaussian weights from recurrence 150
    - Hermite 144
    - Jacobi 144
    - Laguerre 144
    - Legendre 144
    - weight function  $\log x$  153
  - Orthonormality 51, 142, 463
  - Outer product of matrices (denoted by cross) 66, 420
  - Outgoing wave boundary conditions 820
  - Outlier 605, 653, 656, 694, 697
    - see also* Robust estimation
  - Overcorrection 857
  - Overflow 882
    - how to avoid in modulo multiplication 269
    - in complex arithmetic 171
  - Overlap-add and overlap-save methods 536f.
  - Overrelaxation parameter 857
    - choice of 858
- P**adé approximant 194ff.
- Padé approximation 105
  - Parabolic interpolation 395
  - Parabolic partial differential equations 818, 838ff.
  - Parallel axis theorem 308
  - Parameters in fitting function 651, 684ff.
  - Parity bit 888
  - Park and Miller minimal standard random generator 269
  - Parkinson's Law 328
  - Parseval's Theorem 492, 544
    - discrete form 498
  - Partial differential equations 818ff.
    - advective equation 826
    - alternating-direction implicit method (ADI) 847, 861f.
    - amplification factor 828, 834
    - analyze/factorize/operate package 824
    - artificial viscosity 831, 837
    - biconjugate gradient method 824
    - boundary conditions 819ff.
    - boundary value problems 819, 848
    - Cauchy problem 818f.
    - caution on high-order methods 844f.
    - Cayley's form 844
    - characteristics 818
    - Chebyshev acceleration 859f.
    - classification of 818f.
    - comparison of rapid methods 854
    - conjugate gradient method 824
    - Courant condition 829, 832, 833f., 836
    - Courant condition (multidimensional) 846
    - Crank-Nicholson method 840, 842, 844, 846
    - cyclic reduction (CR) method 848f., 852ff.
    - diffusion equation 818, 838ff., 846, 855
    - Dirichlet boundary conditions 508, 820, 840, 850, 856, 858
    - elliptic, defined 818
    - error, varieties of 831ff.
    - explicit vs. implicit differencing 827
    - FACR method 854
    - finite difference method 821ff.
    - finite element methods 824
    - flux-conservative initial value problems 825ff.
    - forward Euler differencing 826f.
    - Forward Time Centered Space (FTCS) 827ff., 839ff., 843, 855
    - Fourier analysis and cyclic reduction (FACR) 848ff., 854
    - Gauss-Seidel method (relaxation) 855, 864ff., 876
    - Godunov's method 837
    - Helmholtz equation 852
    - hyperbolic 818, 825f.
    - implicit differencing 840
    - incomplete Cholesky conjugate gradient method (ICCG) 824
    - inhomogeneous boundary conditions 850f.
    - initial value problems 818f.
    - initial value problems, recommendations on 838ff.
    - Jacobi's method (relaxation) 855ff., 864
    - Laplace's equation 818
    - Lax method 828ff., 836, 845f.
    - Lax method (multidimensional) 845f.
    - matrix methods 824
    - mesh-drift instability 834f.
    - Monte Carlo methods 824
    - multidimensional initial value problems 844ff.
    - multigrid method 824, 862ff.
    - Neumann boundary conditions 508, 820, 840, 851, 858
    - nonlinear diffusion equation 842
    - nonlinear instability 831
    - numerical dissipation or viscosity 830
    - operator splitting 823, 847f., 861
    - outgoing wave boundary conditions 820
    - parabolic 818, 838ff.
    - periodic boundary conditions 850, 858
    - piecewise parabolic method (PPM) 837

- Poisson equation 818, 852  
 rapid (Fourier) methods 508ff., 824, 848ff.  
 relaxation methods 823, 854ff.  
 Schrödinger equation 842ff.  
 second-order accuracy 833ff., 840  
 shock 831, 837  
 sparse matrices from 64  
 spectral methods 825  
 spectral radius 856ff., 862  
 stability vs. accuracy 830  
 stability vs. efficiency 821  
 staggered grids 513, 852  
 staggered leapfrog method 833f.  
 strongly implicit procedure 824  
 successive over-relaxation (SOR) 857ff.,  
   862, 866  
 time splitting 847f., 861  
 two-step Lax-Wendroff method 835ff.  
 upwind differencing 832f., 837  
 variational methods 824  
 varieties of error 831ff.  
 von Neumann stability analysis 827f.,  
   830, 833f., 840  
 wave equation 818, 825f.  
*see also* Elliptic partial differential equa-  
   tions; Finite difference equations (FDEs)
- Partial pivoting 29  
 Partition-exchange 323, 333  
 Partitioned matrix, inverse of 70  
 Party tricks 95ff., 168  
 Parzen window 547  
 Pascal, Numerical Recipes in iv, 1  
 Path integration, for function evaluation 201ff.,  
   263  
 Pattern multiply of sparse matrices 74  
 PBCG (preconditioned biconjugate gradient  
   method) 78f., 824  
 PC methods *see* Predictor-corrector methods  
 PCGPACK 71  
 PDEs *see* Partial differential equations  
 Pearson's  $r$  630ff.  
 PECE method 741  
 Pentagon, symmetries of 895  
 Percentile 320  
 Period of linear congruential generator 268  
 Periodic boundary conditions 850, 858  
 Periodogram 543ff., 566  
   Lomb's normalized 569f., 574f.  
   variance of 544f.  
 Perl (programming language) xi  
 Perron's theorems, for convergence of recur-  
   rence relations 174f.  
 Perturbation methods for matrix inversion  
   65ff.  
 Phase error 831  
 Phase-locked loop 700  
 Phi statistic 625  
 Phillips-Twomey method 799ff.  
 Physical dimension  
 Pi, computation of 906ff.  
 Piecewise parabolic method (PPM) 837  
 Pincherle's theorem 175  
 Pivot element 29, 33, 757  
   in linear programming 428f.
- Pivoting 27, 29ff., 46, 66, 90  
   full 29  
   implicit 30, 38  
   in LU decomposition 37f.  
   partial 29, 33, 37f.  
   and QR decomposition 92  
   in reduction to Hessenberg form 478  
   in relaxation method 757  
   as row and column operations 32  
   for tridiagonal systems 43  
 Pixel 519, 596, 803, 811  
 Planck's constant 842  
 Plane rotation *see* Givens reduction; Jacobi  
   transformation (or rotation)  
 Platykurtic distribution 606  
 Plotting of functions 342  
 POCS (method of projection onto convex sets)  
   805  
 Poetry 5f.  
 Poisson equation 519, 818, 852  
 Poisson probability function  
   cumulative 214  
   deviates from 281, 283ff., 571  
   semi-invariants of 608  
   tails compared to Gaussian 653  
 Poisson process 278, 282, 283f.  
 Polak-Ribiere algorithm 390, 414ff.  
 Poles *see* Complex plane, poles in  
 Polishing of roots 356, 363f., 365, 370f.  
 Polymorphism 8  
 Polynomial interpolation 99, 102ff.  
   Aitken's algorithm 102  
   in Bulirsch-Stoer method 724, 726  
   coefficients for 113ff.  
   Lagrange's formula 84, 102f.  
   multidimensional 116ff.  
   Neville's algorithm 102f., 105, 134, 182  
   pathology in determining coefficients for  
     116  
   in predictor-corrector method 740  
   smoothing filters 645  
   *see also* Interpolation  
 Polynomials 167ff.  
   algebraic manipulations 169  
   approximating modified Bessel functions  
     230  
   approximation from Chebyshev coefficients  
     191  
   AUTODIN-II 890  
   CCITT 889f.  
   characteristic 368  
   characteristic, for digital filters 554, 559  
   characteristic, for eigenvalues of matrix  
     449, 469  
   Chebyshev 184ff.  
   CRC-16 890  
   deflation 362ff., 370f.  
   derivatives of 167  
   division 84, 169, 362, 370  
   evaluation of 167  
   evaluation of derivatives 167  
   extrapolation in Bulirsch-Stoer method  
     724, 726  
   extrapolation in Romberg integration 134  
   fitting 83, 114, 191, 645, 665, 674

- generator for CRC 889
  - ill-conditioned 362
  - matrix method for roots 368
  - minimax 186, 198
  - monic 142f.
  - multiplication 169
  - operation count for 168
  - orthonormal 142, 184
  - primitive modulo 2 287ff., 301f., 889
  - roots of 178ff., 362ff., 368
  - shifting of 192f.
  - stopping criterion in root finding 366
  - Port, serial data 892
  - Portability 3
  - Portable random number generator *see* Random number generator
  - Positive definite matrix, testing for 90
  - Positivity constraints 423
  - Postal Service (U.S.), barcode 894
  - PostScript xi, xvii
  - Powell's method 389, 402, 406ff.
  - Power (in a signal) 492f.
  - Power series 159ff., 167, 195
    - economization of 192f.
    - Padé approximant of 194ff.
  - Power spectral density *see* Fourier transform; Spectral density
  - Power spectrum estimation *see* Fourier transform; Spectral density
  - PPM (piecewise parabolic method) 837
  - Precision, floating point 882
  - Precision, multiple 906ff.
  - Preconditioned biconjugate gradient method (PBCG) 78f.
  - Preconditioning, in conjugate gradient methods 824
  - Predictor-corrector methods 702, 730, 740ff.
    - Adams-Bashforth-Moulton schemes 741
    - adaptive order methods 744
    - compared to other methods 740
    - fallacy of multiple correction 741
    - with fixed number of iterations 741
    - functional iteration vs. Newton's rule 742
    - multivalued compared with multistep 742ff.
    - starting and stopping 742, 744
    - stepsize control 742f.
  - Prime numbers 915
  - Primitive polynomials modulo 2 287ff., 301f., 889
  - Principal directions 408f.
  - Principal solution, of inverse problem 797
  - Prize, \$1000 offered 272
  - Probability *see* Random number generator; Statistical tests
  - Probability density, change of variables in 278f.
  - Process loss 548
  - Product Nystrom method 789
  - Program(s)
    - as black boxes xiv, 6, 26, 52, 205, 341, 406
    - dependencies 921ff.
    - encapsulation 7
    - interfaces 2, 8
    - modularization 7f.
    - organization 5ff.
    - type declarations 2
    - typography of 2f., 12
    - validation 3f.
  - Projection onto convex sets (POCS) 805
  - Projection operator, nonexpansive 805
  - Prolongation operator 864
  - Protocol, for communications 888
  - PSD (power spectral density) *see* Fourier transform; Spectral density
  - Pseudo-random numbers 266ff.
  - Puns, particularly bad 167, 744, 747
  - Pyramidal algorithm 586
  - Pythagoreans 392
- QL** *see* Eigensystems
- QR *see* Eigensystems
  - QR decomposition 91f., 382, 386
    - backsubstitution 92
    - and least squares 668
    - operation count 92
    - pivoting 92
    - updating 94, 382, 386
    - use for orthonormal basis 58, 94
  - Quadratic
    - convergence 49, 256, 351, 356, 409f., 419, 906
    - equations 20, 178, 391, 457
    - interpolation 353, 364
    - programming 436
  - Quadrature 123ff.
    - adaptive 123, 190, 788
    - alternative extended Simpson's rule 128
    - arbitrary weight function 151ff., 789
    - automatic 154
    - Bode's rule 126
    - change of variable in 137ff., 788
    - by Chebyshev fitting 124, 189
    - classical formulas for 124ff.
    - Clenshaw-Curtis 124, 190, 512f.
    - closed formulas 125, 127f.
    - and computer science 881
    - by cubic splines 124
    - error estimate in solution 784
    - extended midpoint rule 129f., 135
    - extended rules 127ff., 134f., 786, 788, 789, 790
    - extended Simpson's rule 128
    - Fourier integrals 577ff.
    - Fourier integrals, infinite range 583
    - Gauss-Chebyshev 144, 512f.
    - Gauss-Hermite 144, 789
    - Gauss-Jacobi 144
    - Gauss-Kronrod 154
    - Gauss-Laguerre 144, 789
    - Gauss-Legendre 144, 783, 789
    - Gauss-Lobatto 154, 190, 512
    - Gauss-Radau 154
    - Gaussian integration 127, 140ff., 781, 783, 788f.
    - Gaussian integration, nonclassical weight function 151ff., 788f.
    - for improper integrals 135ff., 789
    - for integral equations 781f., 786

- Monte Carlo 124, 155ff., 295ff., 306ff.  
 multidimensional 124, 155ff.  
 Newton-Cotes formulas 125ff., 140  
 open formulas 125, 126f., 129f., 135  
 related to differential equations 123  
 related to predictor-corrector methods 740  
 Romberg integration 124, 134f., 137, 182,  
 717, 788  
 semi-open formulas 130  
 Simpson's rule 126, 133, 136f., 583, 782,  
 788, 789, 790  
 Simpson's three-eighths rule 126, 789,  
 790  
 singularity removal 137ff., 788  
 singularity removal, worked example 792  
 trapezoidal rule 125, 127, 130ff., 134f.,  
 579, 583, 782, 786  
 using FFTs 124  
 weight function  $\log x$  153  
*see also* Integration of functions  
 Quadrature mirror filter 585, 593  
 Quantum mechanics, Uncertainty Principle  
 600  
 Quartile value 320  
 Quasi-Newton methods for minimization 390,  
 418ff.  
 Quasi-random sequence 299ff., 318, 881, 888  
 Halton's 300  
 for Monte Carlo integration 304, 309, 318  
 Sobol's 300ff.  
*see also* Random number generator  
 Quicksort 320, 323ff., 330, 333  
 Quotient-difference algorithm 164
- R**-estimates 694  
 Radioactive decay 278  
 Radix base for floating point arithmetic 476,  
 882, 907, 913  
 Radix conversion 902, 906, 913  
 Ramanujan's identity for  $\pi$  915  
 Random bits, generation of 287ff.  
 Random deviates 266ff.  
 binomial 285f.  
 exponential 278  
 gamma distribution 282f.  
 Gaussian 267, 279f., 571, 798  
 normal 267, 279f., 571  
 Poisson 283ff., 571  
 quasi-random sequences 299ff., 881, 888  
 uniform 267ff.  
 uniform integer 270, 274ff.  
 Random number generator 266ff.  
 bitwise operations 287  
 Box-Muller algorithm 279  
 Data Encryption Standard 290ff.  
 good choices for modulus, multiplier and  
 increment 274ff., 275  
 for integer-valued probability distribution  
 283f.  
 integer vs. real implementation 273  
 L'Ecuyer's long period 271f.  
 linear congruential generator 267ff.  
 machine language 269  
 Minimal Standard, Park and Miller's 269  
 nonrandomness of low-order bits 268f.  
 perfect 272  
 planes, numbers lie on 268  
 portable 269ff.  
 primitive polynomials modulo 2 287ff.  
 pseudo-DES 291  
 quasi-random sequences 299ff., 881, 888  
 quick and dirty 274  
 quicker and dirtier 275  
 in Quicksort 324  
 random access to  $n$ th number 293  
 random bits 287ff.  
 recommendations 276f.  
 rejection method 281ff.  
 shuffling procedure 270, 272  
 in simulated annealing method 438  
 spectral test 274  
 subtractive method 273  
 system-supplied 267f.  
 timings 276f.  
 transformation method 277ff.  
 trick for trigonometric functions 280  
 Random numbers *see* Monte Carlo; Random  
 deviates  
 Random walk 20  
 RANDU, infamous routine 268  
 Range 53, 54  
 Rank (matrix) 53  
 kernel of finite 785  
 Rank (sorting) 320, 332  
 Rank (statistics) 633ff., 694f.  
 Kendall's tau 637ff.  
 Spearman correlation coefficient 634f.  
 sum squared differences of 634  
 Ratio variable (statistics) 623  
 Rational Chebyshev approximation 197ff.  
 Rational function 99, 167ff., 194ff., 197ff.  
 approximation for Bessel functions 225  
 approximation for continued fraction 164,  
 211, 219f.  
 Chebyshev approximation 197ff.  
 evaluation of 170  
 extrapolation in Bulirsch-Stoer method  
 718ff., 726  
 interpolation and extrapolation using 99,  
 104ff., 194ff., 197ff., 718ff., 726  
 minimax 198  
 as power spectrum estimate 566  
 Realizable (causal) 552, 554f.  
 Rearranging *see* Sorting  
 Reciprocal, multiple precision 910f.  
 Record, in data file 329  
 Recurrence relation 172ff.  
 associated Legendre polynomials 247  
 Bessel function 172, 224, 227f., 234  
 binomial coefficients 209  
 Bulirsch-Stoer 105f.  
 characteristic polynomial of tridiagonal  
 matrix 469  
 Clenshaw's recurrence formula 176f.  
 and continued fraction 175  
 continued fraction evaluation 164f.  
 convergence 175  
 cosine function 172, 500  
 dominant solution 174

- exponential integrals 172
- gamma function 206
- generation of random bits 287f.
- Golden Mean 21
- Legendre polynomials 172
- minimal vs. dominant solution 174
- modified Bessel function 232
- Neville's 103, 182
- orthonormal polynomials 142
- Perron's theorems 174f.
- Pincherle's theorem 175
- polynomial interpolation 103, 183
- primitive polynomials modulo 2 287f.
- random number generator 268
- rational function interpolation 105f.
- sequence of trig functions 173
- sine function 172, 500
- spherical harmonics 247
- stability of 21, 173ff., 177, 224f., 227f., 232, 247
- trig functions 572
- weight of Gaussian quadrature 144f.
- Recursion, in multigrid method 865
- Recursive Monte Carlo integration 306ff.
- Recursive stratified sampling 314ff.
- Red-black *see* Odd-even ordering
- Reduction of variance in Monte Carlo integration 299, 306ff.
- References (explanation) 4f.
- References (general bibliography) 916ff.
- Reflection formula for gamma function 206
- Regula falsi (false position) 347ff.
- Regularity condition 775
- Regularization
  - compared with optimal filtering 801
  - constrained linear inversion method 799ff.
  - of inverse problems 796ff.
  - linear 799ff.
  - nonlinear 813
  - objective criterion 802
  - Phillips-Twomey method 799ff.
  - Tikhonov-Miller 799ff.
  - trade-off curve 799
  - two-dimensional 803
  - zeroth order 797
  - see also* Inverse problems
- Regularizing operator 798
- Rejection method for random number generator 281ff.
- Relaxation method
  - for algebraically difficult sets 763
  - automated allocation of mesh points 774f., 777
  - computation of spheroidal harmonics 764ff.
  - for differential equations 746f., 753ff.
  - elliptic partial differential equations 823, 854ff.
  - example 764ff.
  - Gauss-Seidel method 855, 864ff., 876
  - internal boundary conditions 775ff.
  - internal singular points 775ff.
  - Jacobi's method 855f., 864
  - successive over-relaxation (SOR) 857ff., 862, 866
  - see also* Multigrid method
- Remes algorithms
  - exchange algorithm 553
  - for minimax rational function 199
- Residual 49, 54, 78
  - in multigrid method 863
- Resolution function, in Backus-Gilbert method 807
- Response function 531
- Restriction operator 864
- Reward, \$1000 offered 272
- Richardson's deferred approach to the limit 134, 137, 182, 702, 718ff., 726, 788, 869
  - see also* Bulirsch-Stoer method
- Richtmyer artificial viscosity 837
- Ridders' method, for numerical derivatives 182
- Ridders' method, root finding 341, 349, 351
- Riemann shock problem 837
- Right eigenvalues and eigenvectors 451
- Rise/fall time 548f.
- Robust estimation 653, 694ff., 700
  - Andrew's sine 697
  - average deviation 605
  - double exponential errors 696
  - Kalman filtering 700
  - Lorentzian errors 696f.
  - mean absolute deviation 605
  - nonparametric correlation 633ff.
  - Tukey's biweight 697
  - use of a priori covariances 700
  - see also* Statistical tests
- Romberg integration 124, 134f., 137, 182, 717, 788
- Root finding 143, 340ff.
  - advanced implementations of Newton's rule 386
  - Bairstow's method 364, 370
  - bisection 343, 346f., 352f., 359, 390, 469, 698
  - bracketing of roots 341, 343ff., 353f., 362, 364, 369
  - Brent's method 341, 349, 660f.
  - Broyden's method 373, 382f., 386
  - compared with multidimensional minimization 375
  - complex analytic functions 364
  - in complex plane 204
  - convergence criteria 347, 374
  - deflation of polynomials 362ff., 370f.
  - without derivatives 354
  - double root 341
  - eigenvalue methods 368
  - false position 347ff.
  - Jenkins-Traub method 369
  - Laguerre's method 341, 366f.
  - Lehmer-Schur algorithm 369
  - Maehly's procedure 364, 371
  - matrix method 368
  - Muller's method 364, 372
  - multiple roots 341
  - Newton's rule 143f., 180, 341, 355ff., 362, 364, 370, 372ff., 376, 469, 740, 749f., 754, 787, 874, 876, 911, 912
  - pathological cases 343, 356, 362, 372



- polynomials 341, 362ff., 449  
 in relaxation method 754  
 Ridders' method 341, 349, 351  
 root-polishing 356, 363f., 365, 369f., 370, 371  
 safe Newton's rule 359  
 secant method 347ff., 358, 364, 399  
 in shooting method 746, 749f.  
 singular Jacobian in Newton's rule 386  
 stopping criterion for polynomials 366  
 use of minimum finding 341  
 using derivatives 355ff.  
 zero suppression 372  
*see also* Roots  
 Root polishing 356, 363f., 369ff.  
 Roots  
   Chebyshev polynomials 184  
   cubic equations 179f.  
   multiple 341, 364ff.  
   nonlinear equations 340ff.  
   polynomials 341, 362ff., 449  
   quadratic equations 178  
   reflection in unit circle 560  
   square, multiple precision 912  
   *see also* Root finding  
 Rosenbrock method 730  
   compared with semi-implicit extrapolation 739  
   stepsize control 731  
 Roundoff error 20, 881  
   bracketing a minimum 399  
   conjugate gradient method 824  
   eigensystems 458, 467, 470, 473, 476, 479, 483  
   extended trapezoidal rule 132  
   general linear least squares 668, 672  
   graceful 883  
   hardware aspects 882  
   Householder reduction 466  
   IEEE standard 882f.  
   interpolation 100  
   least squares fitting 658, 668  
   Levenberg-Marquardt method 679  
   linear algebraic equations 23, 27, 29, 47, 56, 84  
   linear predictive coding (LPC) 564  
   magnification of 20, 47  
   maximum entropy method (MEM) 567  
   measuring 881f.  
   multidimensional minimization 418, 422  
   multiple roots 362  
   numerical derivatives 180f.  
   recurrence relations 173  
   reduction to Hessenberg form 479  
   series 164f.  
   straight line fitting 658  
   variance 607  
 Row degeneracy 22  
 Row-indexed sparse storage 71f.  
   transpose 73f.  
 Row operations on matrix 28, 31f.  
 Row totals 624  
 RSS algorithm 314ff.  
 RST properties (reflexive, symmetric, transitive) 338  
 Runge-Kutta method 702, 704ff., 731, 740  
   Cash-Karp parameters 710  
   embedded 709f., 731  
   high-order 705  
   quality control 722  
   stepsize control 708ff.  
 Run-length encoding 901  
 Rybicki, G.B. 84ff., 114, 145, 252, 522, 574, 600  
  
**S**ampling  
   importance 306f.  
   Latin square or hypercube 305f.  
   recursive stratified 314ff.  
   stratified 308f.  
   uneven or irregular 569, 648f.  
 Sampling theorem 495, 543  
   for numerical approximation 600ff.  
 Sande-Tukey FFT algorithm 503  
 SAVE statements 3  
 Savitzky-Golay filters  
   for data smoothing 644ff.  
   for numerical derivatives 183, 645  
 Scallop loss 548  
 Schrage's algorithm 269  
 Schrödinger equation 842ff.  
 Schultz's method for matrix inverse 49, 598  
 SDLC checksum 890  
 Searching  
   with correlated values 111  
   an ordered table 110f.  
   selection 333  
 Secant method 341, 347ff., 358, 364, 399  
   Broyden's method 382f.  
   multidimensional (Broyden's) 373, 382f.  
 Second Euler-Maclaurin summation formula 135f.  
 Second order differential equations 726  
 Seed of random number generator 267  
 Selection 320, 333  
   find  $m$  largest elements 336  
   heap algorithm 336  
   for median 698  
   operation count 333  
   by partition-exchange 333  
   without rearrangement 335  
   timings 336  
   use to find median 609  
 Semi-implicit Euler method 730, 735f.  
 Semi-implicit extrapolation method 730, 735f.  
   compared with Rosenbrock method 739  
   stepsize control 737  
 Semi-implicit midpoint rule 735f.  
 Semi-invariants of a distribution 608  
 Sentinel, in Quicksort 324, 333  
 Separable kernel 785  
 Separation of variables 246  
 Serial data port 892  
 Series 159ff.  
   accelerating convergence of 159ff.  
   alternating 160f.  
   asymptotic 161  
   Bessel function  $K_\nu$  241  
   Bessel function  $Y_\nu$  235

- Bessel functions 160, 223  
 cosine integral 250  
 divergent 161  
 economization 192f., 195  
 Euler's transformation 160f.  
 exponential integral 216, 218  
 Fresnel integral 248  
 hypergeometric 202, 263  
 incomplete beta function 219  
 incomplete gamma function 210  
 Laurent 566  
 relation to continued fractions 163f.  
 roundoff error in 164f.  
 sine and cosine integrals 250  
 sine function 160  
 Taylor 355f., 408, 702, 709, 754, 759  
 transformation of 160ff.  
 van Wijngaarden's algorithm 161
- Shaft encoder 886  
 Shakespeare 9  
 Shampine's Rosenbrock parameters 732  
 Shell algorithm (Shell's sort) 321ff.  
 Sherman-Morrison formula 65ff., 67, 83, 382  
 Shifting of eigenvalues 449, 470f., 480  
 Shock wave 831, 837  
 Shooting method  
   computation of spheroidal harmonics 772  
   for differential equations 746, 749ff.,  
   770f., 772  
   for difficult cases 753  
   example 770f., 772  
   interior fitting point 752
- Shuffling to improve random number generator  
   270, 272
- Sidelobe fall-off 548  
 Sidelobe level 548  
 Signal, bandwidth limited 495  
 Significance (numerical) 19  
 Significance (statistical) 609f.  
   one- vs. two-sided 632  
   peak in Lomb periodogram 570  
   of 2-d K-S test 640  
   two-tailed 613
- Similarity transform 452ff., 456, 476, 478,  
   482
- Simplex  
   defined 402  
   method in linear programming 389, 402,  
   423ff., 426, 431ff.  
   method of Nelder and Mead 389, 402ff.,  
   444, 697f.  
   use in simulated annealing 444
- Simpson's rule 124ff., 128, 133, 136f., 583,  
   782, 788, 789
- Simpson's three-eighths rule 126, 789, 790
- Simulated annealing *see* Annealing, method of  
   simulated
- Simulation *see* Monte Carlo
- Sine function  
   evaluated from  $\tan(\theta/2)$  173  
   recurrence 172  
   series 160
- Sine integral 248, 250ff.  
   continued fraction 250  
   series 250
- see also* Cosine integral
- Sine transform *see* Fast Fourier transform  
   (FFT); Fourier transform
- Singleton's algorithm for FFT 525
- Singular value decomposition (SVD) 23, 25,  
   51ff.  
   approximation of matrices 58f.  
   backsubstitution 56  
   and bases for nullspace and range 53  
   confidence levels from 693f.  
   covariance matrix 693f.  
   fewer equations than unknowns 57  
   for inverse problems 797  
   and least squares 54ff., 57f., 199f., 668,  
   670f.  
   in minimization 410  
   more equations than unknowns 57f.  
   and rational Chebyshev approximation  
   199f.  
   of square matrix 53ff.  
   use for ill-conditioned matrices 56, 58,  
   449  
   use for orthonormal basis 58, 94
- Singularities  
   of hypergeometric function 203, 263  
   in integral equations 788ff.  
   in integral equations, worked example 792  
   in integrands 135ff., 788  
   removal in numerical integration 137ff.,  
   788
- Singularity, subtraction of the 789
- SIPSOL 824
- Skewness of distribution 606, 608
- Smoothing, importance in multigrid method  
   865
- Smoothing of data 114, 644ff.  
   in integral equations 781
- sn function 261
- Snyder, N.L. xi
- Sobol's quasi-random sequence 300ff.
- Sonata 9
- Sonnet 9
- Sorting 320ff.  
   bubble sort cautioned against 321  
   compared to selection 333  
   covariance matrix 669, 681  
   eigenvectors 461f.  
   Heapsort 320, 327f., 336  
   index table 320, 329f.  
   operation count 320ff.  
   Quicksort 320, 323ff., 330, 333  
   rank table 320, 332  
   ranking 329  
   Shell's method 321ff.  
   straight insertion 321f., 461f.
- SPARC or SPARCstation xvii, 4
- Sparse linear equations 23, 63ff., 732  
   band diagonal 43  
   biconjugate gradient method 77, 599  
   indexed storage 71f.  
   in inverse problems 804  
   minimum residual method 78  
   named patterns 64, 822  
   partial differential equations 822f., 824

- relaxation method for boundary value problems 754
- row-indexed storage 71f.
- wavelet transform 584, 598
- see also* Matrix
- Spearman rank-order coefficient 634f., 694f.
- Special functions *see* Function
- Spectral analysis *see* Fourier transform; Periodogram
- Spectral density 541
  - and data windowing 545ff.
  - figures of merit for data windows 548f.
  - normalization conventions 542f.
  - one-sided PSD 492
  - periodogram 543ff., 566
  - power spectral density (PSD) 492f.
  - power spectral density per unit time 493
  - power spectrum estimation by FFT 542ff.
  - power spectrum estimation by MEM 565ff.
  - two-sided PSD 493
  - variance reduction in spectral estimation 545
- Spectral lines, how to smooth 644
- Spectral methods for partial differential equations 825
- Spectral radius 856ff., 862
- Spectral test for random number generator 274
- Spectrum *see* Fourier transform
- Spherical Bessel functions 234
  - routine for 245
- Spherical harmonics 246ff.
  - orthogonality 246
  - routine for 247f.
  - stable recurrence for 247
  - table of 246
  - see also* Associated Legendre polynomials
- Spheroidal harmonics 764ff., 770f., 772
  - boundary conditions 765
  - normalization 765
  - routine for 768ff., 771f., 772f.
- Spline 100
  - cubic 107ff.
  - gives tridiagonal system 109
  - natural 109
  - operation count 109
  - two-dimensional (bicubic) 120f.
- Spread matrix 808
- Spread spectrum 290
- Square root, complex 172
- Square root, multiple precision 912
- Square window 546
- Stability 20f.
  - of Clenshaw's recurrence 177
  - Courant condition 829, 832ff., 836, 846
  - diffusion equation 840
  - of Gauss-Jordan elimination 27, 29
  - of implicit differencing 729, 840
  - mesh-drift in PDEs 834f.
  - nonlinear 831, 837
  - partial differential equations 820, 827f.
  - of polynomial deflation 363
  - in quadrature solution of Volterra equation 787f.
  - of recurrence relations 173ff., 177, 224f., 227f., 232, 247
  - and stiff differential equations 728f.
  - von Neumann analysis for PDEs 827f., 830, 833f., 840
  - see also* Accuracy
- Stabilized Kolmogorov-Smirnov test 621
- Stabilizing functional 798
- Staggered leapfrog method 833f.
- Standard deviation
  - of a distribution 605
  - of Fisher's z 632
  - of linear correlation coefficient 630
  - of sum squared difference of ranks 635
- Standard (probable) errors 610, 656, 661, 667, 671, 684
- Statement labels 9
- Statistical error 653
- Statistical tests 603ff.
  - Anderson-Darling 621
  - average deviation 605
  - bootstrap method 686f.
  - chi-square 614f., 623ff.
  - contingency coefficient C 625
  - contingency tables 622ff., 638
  - correlation 603f.
  - Cramer's V 625
  - difference of distributions 614ff.
  - difference of means 609ff.
  - difference of variances 611, 613
  - entropy measures of association 626ff.
  - F-test 611, 613
  - Fisher's z-transformation 631f.
  - general paradigm 603
  - Kendall's tau 634, 637ff.
  - Kolmogorov-Smirnov 614, 617ff., 640, 694
  - Kuiper's statistic 621
  - kurtosis 606, 608
  - L-estimates 694
  - linear correlation coefficient 630ff.
  - M-estimates 694ff.
  - mean 603ff., 608, 609ff.
  - measures of association 604, 622ff.
  - measures of central tendency 604ff.
  - median 605, 694
  - mode 605
  - moments 604ff., 608
  - nonparametric correlation 633ff.
  - Pearson's r 630ff.
  - for periodic signal 570
  - phi statistic 625
  - R-estimates 694
  - rank correlation 633ff.
  - robust 605, 634, 694ff.
  - semi-invariants 608
  - for shift vs. for spread 620f.
  - significance 609f.
  - significance, one- vs. two-sided 613, 632
  - skewness 606, 608
  - Spearman rank-order coefficient 634f., 694f.
  - standard deviation 605
  - strength vs. significance 609f., 622
  - Student's t 610, 631

- Student's t, for correlation 631  
 Student's t, paired samples 612  
 Student's t, Spearman rank-order coefficient 634  
 Student's t, unequal variances 611  
 sum squared difference of ranks 635  
 Tukey's trimean 694  
 two-dimensional 640  
 variance 603ff., 607f., 612f.  
 Wilcoxon 694  
*see also* Error; Robust estimation  
 Steak, without sizzle 809  
 Steed's method  
   Bessel functions 234, 239  
   continued fractions 164f.  
 Steepest descent method 414  
   in inverse problems 804  
 Step  
   doubling 130, 708f.  
   tripling 136  
 Stieltjes, procedure of 151  
 Stiff equations 703, 727ff.  
   Kaps-Rentrop method 730  
   methods compared 739  
   predictor-corrector method 730  
   r.h.s. independent of  $x$  729f.  
   Rosenbrock method 730  
   scaling of variables 730  
   semi-implicit extrapolation method 730  
   semi-implicit midpoint rule 735f.  
 Stiff functions 100, 399  
 Stirling's approximation 206, 812  
 Stoermer's rule 726  
 Stopping criterion, in multigrid method 875f.  
 Stopping criterion, in polynomial root finding 366  
 Storage  
   band diagonal matrix 44  
   sparse matrices 71f.  
 Straight injection 867  
 Straight insertion 321f., 461f.  
 Straight line fitting 655ff., 667f.  
   errors in both coordinates 660ff.  
   robust estimation 698  
 Strassen's fast matrix algorithms 96f.  
 Stratified sampling, Monte Carlo 308f., 314  
 Strongly implicit procedure (SIPSOL) 824  
 Structured programming 5ff.  
 Student's probability distribution 221f.  
 Student's t-test  
   for correlation 631  
   for difference of ranks 635  
   for difference of means 610  
   for difference of means (paired samples) 612  
   for difference of means (unequal variances) 611  
   Spearman rank-order coefficient 634  
 Sturmian sequence 469  
 Sub-random sequences *see* Quasi-random sequence  
 Subtraction, multiple precision 907  
 Subtractive method for random number generator 273  
 Successive over-relaxation (SOR) 857ff., 862  
   bad in multigrid method 866  
   Chebyshev acceleration 859f.  
   choice of overrelaxation parameter 858  
 Sum squared difference of ranks 634  
 Sums *see* Series  
 Sun xvii, 886  
   SPARCstation xvii, 4  
 Supernova 1987A 640  
 SVD *see* Singular value decomposition (SVD)  
 Symbol, of operator 866f.  
 Synthetic division 84, 167, 362, 370  
 Systematic errors 653  
  
**T**ableau (interpolation) 103, 183  
 Tangent function, continued fraction 163  
 Taylor series 180, 355f., 408, 702, 709, 742, 754, 759  
 Test programs 3  
 Thermodynamics, analogy for simulated annealing 437  
 Threshold multiply of sparse matrices 74  
 Tides 560f.  
 Tikhonov-Miller regularization 799f.  
 Time domain 490  
 Time splitting 847f., 861  
 Toeplitz matrix 82, 85ff., 195  
   LU decomposition 87  
   new, fast algorithms 88f.  
   nonsymmetric 86ff.  
 Tongue twisters 333  
 Torus 297f., 304  
 Trade-off curve 795, 809  
 Trademarks xvii  
 Transformation  
   Gauss 256  
   Landen 256  
   method for random number generator 277ff.  
 Transforms, number theoretic 503f.  
 Transport error 831ff.  
 Transpose of sparse matrix 73f.  
 Trapezoidal rule 125, 127, 130ff., 134f., 579, 583, 782, 786  
 Traveling salesman problem 438ff.  
 Tridiagonal matrix 42, 63, 150, 453f., 488, 839f.  
   in alternating-direction implicit method (ADI) 861f.  
   from cubic spline 109  
   cyclic 67  
   in cyclic reduction 853  
   eigenvalues 469ff.  
   with fringes 822  
   from operator splitting 861f.  
   reduction of symmetric matrix to 462ff., 470  
   *see also* Matrix  
 Trigonometric  
   functions, linear sequences 173  
   functions, recurrence relation 172, 572  
   functions,  $\tan(\theta/2)$  as minimal 173  
   interpolation 99  
   solution of cubic equation 179f.

- Truncation error 20f., 399, 709, 881  
 in multigrid method 875  
 in numerical derivatives 180
- Tukey's biweight 697
- Tukey's trimean 694
- Turbo Pascal (Borland) 8
- Twin errors 895
- Two-dimensional *see* Multidimensional
- Two-dimensional K-S test 640
- Two-pass algorithm for variance 607
- Two-point boundary value problems 702, 745ff.  
 automated allocation of mesh points 774f., 777  
 boundary conditions 745ff., 749, 751f., 771  
 difficult cases 753  
 eigenvalue problem for differential equations 748, 764ff., 770f., 772  
 free boundary problem 748, 776  
 grid (mesh) points 746f., 754, 774f., 777  
 internal boundary conditions 775ff.  
 internal singular points 775ff.  
 linear requires no iteration 751  
 multiple shooting 753  
 problems reducible to standard form 748  
 regularity condition 775  
 relaxation method 746f., 753ff.  
 relaxation method, example of 764ff.  
 shooting to a fitting point 751ff.  
 shooting method 746, 749ff., 770f., 772  
 shooting method, example of 770f., 772  
 singular endpoints 751, 764, 771  
*see also* Elliptic partial differential equations
- Two-sided exponential error distribution 696
- Two-sided power spectral density 493
- Two-step Lax-Wendroff method 835ff.
- Type declarations, explicit vs. implicit 2
- U**LTRIX xvii
- Uncertainty coefficient 628
- Uncertainty principle 600
- Underflow, in IEEE arithmetic 883
- Underrelaxation 857
- Uniform deviates *see* Random deviates, uniform
- Unitary (function) 843f.
- Unitary (matrix) *see* Matrix
- UNIX xi, xvii, 4, 17, 276, 293, 886
- Upper Hessenberg matrix *see* Hessenberg matrix
- Upwind differencing 832f., 837
- U.S. Postal Service barcode 894
- USES keyword in program listings 2
- V**-cycle 865
- Validation of Numerical Recipes procedures 3f.
- Valley, long or narrow 403, 407, 410
- Van Cittert's method 804
- Van Wijngaarden-Dekker-Brent method *see* Brent's method
- Vandermonde matrix 82ff., 114
- Variable length code 896
- Variable metric method 390, 418ff.  
 compared to conjugate gradient method 418
- Variable step-size integration 123, 135, 703, 707ff., 720, 726, 731, 737, 742ff.
- Variance(s)  
 correlation 605  
 of distribution 603ff., 608, 611, 613  
 pooled 610  
 reduction of (in Monte Carlo) 299, 306ff.  
 statistical differences between two 609  
 two-pass algorithm for computing 607  
*see also* Covariance
- Variational methods, partial differential equations 824
- VAX xvii, 275, 293
- VEGAS algorithm for Monte Carlo 309ff.
- Verhoeff's algorithm for checksums 894f.
- Viète's formulas for cubic roots 179
- Virus, computer 889
- Viscosity  
 artificial 831, 837  
 numerical 830, 831, 837
- VMS xvii
- Volterra equations 780f.  
 adaptive stepsize control 788  
 analogy with ODEs 786  
 block-by-block method 788  
 first kind 781, 786  
 nonlinear 781, 787  
 second kind 781, 786ff.  
 unstable quadrature 787f.
- von Neumann-Richtmyer artificial viscosity 837
- von Neumann stability analysis for PDEs 827f., 830, 833f., 840
- Vowelish (coding example) 896f., 902
- W**-cycle 865
- Warranty, disclaimer of xvi
- Wave equation 246, 818, 825f.
- Wavelet transform 584ff.  
 appearance of wavelets 590ff.  
 approximation condition of order  $p$  585  
 coefficient values 586, 589  
 contrasted with Fourier transform 584, 594  
 Daubechies wavelet filter coefficients 584ff., 588, 590f., 594, 598  
 detail information 585  
 discrete wavelet transform (DWT) 586f.  
 DWT (discrete wavelet transform) 586f.  
 eliminating wrap-around 587  
 fast solution of linear equations 597ff.  
 filters 592f.  
 and Fourier domain 592f.  
 image processing 596f.  
 for integral equations 782  
 inverse 587  
 Lemarie's wavelet 593  
 of linear operator 597ff.  
 mother-function coefficient 587

- mother functions 584
  - multidimensional 595
  - nonsmoothness of wavelets 591
  - pyramidal algorithm 586
  - quadrature mirror filter 585
  - smooth information 585
  - truncation 594f.
  - wavelet filter coefficient 584, 587
  - wavelets 584, 590ff.
  - Wavelets *see* Wavelet transform
  - Weber function 204
  - Weighted Kolmogorov-Smirnov test 621
  - Weighted least-squares fitting *see* Least squares fitting
  - Weighting, full vs. half in multigrid 867
  - Weights for Gaussian quadrature 140ff., 788f.
    - nonclassical weight function 151ff., 788f.
  - Welch window 547
  - While iteration 13
  - Wiener filtering 535, 539ff., 558, 644
    - compared to regularization 801
  - Wiener-Khinchin theorem 492, 558, 566f.
  - Wilcoxon test 694
  - Window function
    - Bartlett 547
    - flat-topped 549
    - Hamming 547
    - Hann 547
    - Parzen 547
    - square 544, 546
    - Welch 547
  - Winograd Fourier transform algorithms 503
  - Woodbury formula 68ff., 83
  - Wordlength 18
  - Wraparound
    - order for storing spectrum 501
    - problem in convolution 533
  - Wronskian, of Bessel functions 234, 239
- X**.25 protocol 890
- XMODEM checksum 889
- X-ray diffraction pattern, processing of 805
- Y**ale Sparse Matrix Package 64, 71
- Z**-transform 554, 559, 565
- Z-transformation, Fisher's 631f.
- Zealots 814
- Zebra relaxation 866
- Zero contours 372
- Zeroth-order regularization 796ff.
- Zip code, barcode for 894
- Ziv-Lempel compression 896